



PRODUCT BROCHURE

OUR VALUES

Quality

We have a commitment to the quality of all our products. There is 'one standard' in our work. Each piece of equipment we engineer is assembled, rigorously quality-checked, and tested prior to leaving our Manchester factory. This is not sample profiling or batch testing. We test 100%.

Service Delivery

Being responsive to customer demand is important to us. Whilst we work with our customers to plan forward and support forecasts wherever possible, also securing the best commercials – we know this is sometimes not possible and our stock has resulted in TecFlo being a 'supplier of choice' meeting the ever-changing demands of our customers.

Price

With supplier agreements and relationships spanning decades, we leverage a powerful history and reputation. All tooling is owned by TecFlo and we have committed two tools across almost all our major products. With TecFlo tools and commitment to 'dual sourcing' we safeguard business continuity and secure some of the best commercials in the market.

ABOUT US

TecFlo was founded by my father, Geoff Wood, back in 1986.

With a great product, a career's worth of industry knowledge and a business idea driven by values of quality, family and innovation, he set about building one of the most trusted and respected brands in the beer dispense market.

Fast forward almost 40 years, and although we might be a little bigger than we were in the 80s, we still have the same set of values at the heart of our business.

To date, we've sold products in 43 countries worldwide, covering Europe, the Middle East and America. At the last count, 4.5 million EcoFlo fob detectors can be found in the cellars of our customers and 2.5 million taps have been manufactured, tested and distributed from our Manchester-based warehouse.

It's fair to say we've come a long way.

To find out how TecFlo can support you, or if you would like more information on our products and services, please don't hesitate to get in touch - we'd love to hear from you.



Emma Stewart
Managing Director



KEG COUPLERS

Complete stainless steel construction and pressure tested to ensure performance, our couplers are built to last.

All of our Keg Couplers come with our 1-year warranty.

- High-quality, stainless steel construction
- Patented design eliminates CO2 pipe kinks
- Hand-assembled
- 316 stainless steel beer probe
- Pressure tested for assured performance
- Available with or without TecFit fittings
- Available with a 5/8 thread, complete with blow-off valve



SANKEY MK1

Designed to work on kegs with S Type fittings, such as Amstel, Carlsberg, Foster's, Heineken, John Smith's, Kronenbourg, Moretti, Peroni, San Miguel, Strongbow and Tetley's.

SANKEY MK2

With the same fittings as our Sankey Mk1 coupler, but featuring our unique, patented, double-vertical gas and product lines, eliminating kinking on the gas inlet and putting an end to CO2 pipe kinks.

GRUNDY MK1

Designed to be used on a variety of popular UK beer brands, including Carling, Corona, Worthington, Bass, Caffreys, Grolsch and Coors.



GRUNDY MK2

With the same fittings as our Grundy MK1 coupler, but featuring our unique, patented, double-vertical gas and product lines, eliminating kinking on the gas inlet and putting an end to CO2 pipe kinks.

A TYPE MK1

Designed to be used on a variety of popular European beer brands, including, Bitburger, Hoegaarden, Löwenbräu, Paulaner and Warsteiner. A Type Keg Couplers are also often found on Guinness kegs.

A TYPE MK2

With the same fittings as our A Type MK1 coupler, but featuring our unique, patented, double-vertical gas and product lines, eliminating kinking on the gas inlet and putting an end to CO2 pipe kinks.



U TYPE MK1

Designed to be used on a variety of popular European beer brands and also brands such as Harp, Stella Artois, Kilkenny and Magners.



D TYPE MK1

Designed to be used on a variety of popular American beer brands and also brands such as Budweiser, PBR and Coors.



D TYPE MK2

With the same fittings as our D Type Mk1 coupler, but featuring our unique, patented, double-vertical gas and product lines, eliminating kinking on the gas inlet and putting an end to CO2 pipe kinks.



MM (A TYPE) MK2

Designed for various popular European beer brands, including Bitburger, Hoegaarden, Lowenbrau, Paulaner and Warsteiner. A Type keg Couplers are often also found on Guinness kegs.



MM (A TYPE) MK2

Featuring our unique, patented, double-vertical gas and product lines, eliminating kinking on the gas inlet and putting an end to CO2 pipe kinks.



BRASS GRUNDY KEG COUPLER

Brass Body (316 st st probe) Grundy Keg Coupler. Designed to be used on a variety of popular UK beer brands, including Carling, Corona, Worthington, Bass, Caffreys, Grolsch and Coors.

CLEANING SOCKETS

Our high-quality, all-metal construction ensures you get more life out of your Cleaning Sockets when compared to plastic alternatives.

Our Cleaning Sockets are easy to install and use and come with a 1-year warranty.

- High-quality, all-metal construction
- Available with or without TecFit fittings
- Tested for quality assurance
- 1-year warranty



PRODUCT CODE: #876545

SANKEY

Designed for use with Sankey-style keg couplers



PRODUCT CODE: #876545

GRUNDY

Designed for use with Grundy-style keg couplers



PRODUCT CODE: #876545

A TYPE

Designed for use with A Type-style keg couplers



PRODUCT CODE: #876545

D TYPE

Designed for use with D Type-style keg couplers



GAS REGULATORS

Our range of gas regulators are manufactured and rigorously tested in line with necessary regulations.

Easy to fit and maintain, our Regulators all come with a 3 year warranty.

- Metal construction
- Accurate, clear pressure control
- Available with or without TecFit fittings
- Individually pressure tested in-house
- 3 year warranty



PRIMARY REGULATOR (WALL MOUNT)

Our wall mounted primary regulator provides clear pressure control and includes an integrated release valve. Available for CO2 and mixed gas.

PRIMARY REGULATOR (BOTTLE MOUNT)

The bottle mounted version of our primary regulator easily fits to the top of any standard gas bottle. Available for CO2 and mixed gas.

SECONDARY REGULATOR (WITH GAUGE)

Enabling accurate pressure control, our secondary reducing valve comes complete with steel gauge, shut off valve, and wall mounting bracket



SECONDARY REGULATOR (NO GAUGE)

This secondary regulator comes without a gauge, but includes all the features you'd expect - steel shut-off and a heavy duty wall mounting for simple, secure installation. This is the only regulator on the market with an integrated NRV.

FOB DETECTORS

TecFlo is the home of the original EcoFlo fob detector.

With over 4 million units sold worldwide, EcoFlo is the most widely used fob detector of its type, helping pubs and restaurants of all sizes reduce waste and improve quality.

- Easy fitting, cleaning and maintenance
- Manufactured and individually pressure tested in-house
- 3 year warranty



ECOFLO MK1

When a keg is empty, EcoFlo automatically detects it, stopping the flow of beer, keeping your lines full and preventing the usual foaming. Easy to install, use and maintain, the EcoFlo fob detector is compatible with the vast majority of dispense setups.

ECOFLO MK2

Containing all the features and benefits of the original EcoFlo Fob Detector, our MK2 version is designed to support high-pressure dispense systems, guaranteeing 100% immediate shut-off using a higher product inlet.

SMARTFOB

Stablemate to our no.1 fob detector the EcoFlo, the SmartFob has its own distinct features including a 2.5OZ tube, Bottom fill and Outlet, and multi-tap application. Available in both stainless steel and acrylic.



MINIFOB

Containing all the futures of the EcoFlo, the MiniFob comes with a 2oz tube. Available in both stainless steel and acrylic.

BEER MONITOR CONTROL BOX

To ensure a continual flow the beer monitor control box stops your meter from cutting out when cleaning your system.

TAPS

Individually pressure tested by our in-house team, our taps come with a 3 year guarantee.

- Choice of finishes and handle sizes
- Removable handles
- Choice of inlet sizes
- Creamer plate size options
- Available with or without TecFit fittings
- Individually pressure tested in-house
- A range of flow control taps available
- Tap spares available inc. orifice space



EXCELSIOR TAP

Our Excelsior Chrome Tap comes in a range of finishes, with options for handle, inlet and creamer plate sizes. Also available in gold.



UNITY TAP

Our stainless steel taps come in a range of finishes, with options for handle, inlet and creamer plate sizes.

EXCELSIOR FLOW CONTROL

Our Excelsior Chrome tap comes with the option for handles and Creamer Plates, with the added adjustable Flow Control feature.



PLASTIC TAP

Great value and with the same quality you'd expect from TecFlo, our plastic tap comes with options creamer plate sizes.



PLASTIC TAP (CURVED)

With the same features as our standard plastic tap, but with a distinctive curved handle.

FONTS

Our great looking, high-quality fonts come complete with a beer tap(s) and are available in chrome or gold finish.

- Complete with beer tap
- Chrome or gold finish
- Easy fitting, with clamp included
- Compatible with all tap threads
- Available in multi-way configuration
- 3 year guarantee
- Illuminating LED function



UNITY FONT

Great to look at and even better to use, the stainless steel Unity font comes with all the options to fit right in on your bar setup.

2 OUT UNITY FONT

All the same great features of our standard Unity font, but incorporating two outlets.

EXCELSIOR FONT

Simple to install, maintain and operate, the original Excelsior font is a great addition to any bar. Comes with a choice of oval or round display



2 OUT EXCELSIOR FONT

The two out version of our Excelsior font, featuring the same great features as the original.

BAR LIGHTING TRANSFORMER

Compact, lightweight and containing six snap-in outlets, our 24v or 12v lighting transformer comes with a 5 year warranty. Available with UK, EU and US plug.

COOLERS

Our coolers are exceptionally engineered and come with some of the highest specifications on the market.
Available in 4 and 6 out.

- 4 x 11m, 6 x 11.5m / 10.5m / 9.5m product coil
- Water recirculation
- Easy to access water bath
- 40 litre capacity
- 19kg ice bank
- 1 year warranty
- Free TecFit fittings
- 4 and 6 out available



HYDROCARBON R290 REFRIGERANT COOLER

This undercounter cooler enables seamless dispense of various products and the specified temperature using 11.5, 10.5 or 9.5 meter product coils.

OTHER PRODUCTS



REMANUFACTURED BEER ENGINE

If your beer engine isn't performing like it used to, don't waste money on expensive new units - we'll refurbish your beer engine and have it working as good as new in just a few days.

STEEL BAR BRACKET (WITH DRIP TRAY)

The mild steel version of our original bar bracket is built to last, comes with a 5 year warranty and comes with a range of options to suit any setup.

Available with or without a tap.

REMANUFACTURED BEER METER

Our remanufactured beer meters come with a 12 month warranty and are tested to ensure they meet Trading Standards requirements for accurate measurement.

TecFit fittings can be installed without the need for tools, sealants, tape or other materials and work with all standard dispensing setups. Our push-fit design ensures pipes are securely held in place, without damaging the pipe or interfering with flow.

- Easy to fit and maintain
- Push-fit fittings require no tools or sealants
- Corrosion resistant
- No minimum orders
- 10 Year Warranty



ANGLED SHUT OFF VALVE

Our Angled Shut Off Valve is designed to stop flow with a simple turn of a handle.

Tube OD - 3/8"

GAS NON-RETURN VALVE

Our Gas Non-Return Valve has been designed to allow gas flow into your keg, while preventing beer flow into your gas line, maintaining pressure and avoiding contamination.

TUBE TO HOSE ADAPTOR

Our Tube to Hose Adaptor converts standard TecFit connectors into a standard male hose-type fitting.

3/8"-3/8", 3/8"-1/4" and 3/8"-5/16" fittings available.



EQUAL DIVIDER

Our Equal Divider splits supply into two equally sized flows.

Tube OD - 3/8"

EQUAL ELBOW

Our Equal Elbow securely connects equally sized tubing or pipes in a 90° bend

Available as 3/8", 1/2" and 15mm

EQUAL STRAIGHT

Connects two equally sized flow pipes together.

Available as 3/8", 5/16" or 3/16".



FEMALE ADAPTOR

Our female adaptor allows quick disconnection without the need for tools

Connects OD 1/2" to 3/8"



PLASTIC PLUG

Our Plastic Plugs securely close off an unused TecFit outlet fitting.



REDUCER

Our Reducers instantly reduce the size of a standard TecFit fitting.

Available in 5/16"-3/16", 3/8"-3/16", 3/8"-5/16" and 1/2"-3/8".



SERVICE VALVE

Our Service Valve allows quick, simple isolation of a fitting without interfering with supply.

Tube OD - 15mm

SHUT OFF VALVE

Our Shut Off Valve is designed to stop flow with a simple turn of a handle.

Tube OD - 3/8"

STEM ELBOW

Our Stem Elbows create a flexible, pivoting joint between two TecFit fittings..

Available in 3/8"-3/8", 15mm-15mm, 3/8"-3/16" and 3/16"-3/16"



STRAIGHT CONNECTOR

Our Straight Connector securely connects two tubes or pipes.

Available in 3/8"-3/16", 3/8"-5/16", 5/16"-3/15", 1/2"-3/8", 3/16"-3/16" and 13mm.

STRAIN RELIEF BOOT

Our Strain Relief Boot is inserted into tubing to reduce the amount it is able to bend, minimising wear and tear.

Tube OD - 3/8"

COOLING MANIFOLD

Our Cooling Manifold operates with a standard 15mm water recirculation system.

15mm fittings, to 3/8" tube OD



PRODUCT CODE: #876545

EQUAL TEE

Our Equal Straight securely connects three equally sized tubes or pipes.

Tube OD - 3/8"



PRODUCT CODE: #876545

U BEND

Our U Bend links two pipes of equal size to create a U-shaped connection.

Tube OD - 15mm

GET IN TOUCH

If you need to speak to us, you can contact our team using the details below:

Head Office

Highfield Road
Little Hulton
Manchester
M38 9ST

 +44 (0)161 703 7185
 info@tec-flo.co.uk
 www.linkedin.com/company/tecflo-limited

