

# Elite

With Nexus Stand

## Getting Started Guide


Follow this guide to set up your Elite Nexus as a freestanding, heavy duty base, adhesive or screw mounted tablet stand.

# Contents

Screw Mounting	<b>3</b>
Freestanding & Adhesive Mounting	<b>5</b>
Optional Extras	<b>8</b>

# Screw Mounting

Locate the below items along with your tablet and charging cable to begin.



Elite Holder



Nexus Stand



Elite Key



x4 M4  
Screws




x2 Wood  
Screws




**Step 1** Locate the Nexus Stand and follow the above locations to line up your surface mounting & cable feed.


**Step 2** Drill pilot holes to assist with screw base mounting. Refer to the mounting guide for assistance.




**Step 3** If you are running your charging cable through the surface, ensure to drill a larger hole to feed cable through.



**Step 4** With the cable channel facing out the left hand side of the stand, screw down your stand using the Wood Screws provided.




**Step 5** Locate your Elite Holder and place it on the stand, securing it with x4 screws. Unlock the Elite Holder with keys provided and, if applicable, slide the latch to remove the faceplate.



**Step 6** Place your tablet in the holder & plug in charging cable then put the faceplate back on & lock.

# Freestanding & Adhesive Mounting

Locate the below items along with your tablet and charging cable to begin. If you are not using Heavy Duty Base, skip to **Step 2**.



Elite Holder



Nexus Stand



Elite Key




x4 M4  
Screws




Heavy Duty  
Base  
(Add on)




x2 Base  
Screws  
(Add on)




**Step 1** With the cable channel facing out the left hand side of the stand, screw down your stand to the Heavy Duty Base using Base Screws.



**Step 2** Locate Nexus Stand and Elite Holder and screw in 4 screws to attach. Feed charging cable through stand if needed.




**Step 3** Unlock the Elite Holder with keys provided and, if applicable, slide the latch to remove the faceplate.




**Step 4** Place tablet into the holder and plug in charging cable. Place faceplate back on & lock. Follow steps 6-8 for adhesive mount instructions.


Follow steps 5-7  
for adhesive mount  
instructions.



**Step 5** Wipe base of stand & your  
mounting surface with alcohol  
wipes provided & let dry.



**Step 6** Stick 3M Adhesive to the  
base of stand & firmly place down  
on your mounting surface.



**Step 7** Let the stand sit for 24  
hours before use.

# Optional Extras

Follow these steps to install the Position Lock to disable 180° swivel movement or Elite Cable Cutout.



## **Nexus Stand Position Lock**

Rotate stand 45 degrees so cable hole is on the left, then screw in lock screw as shown. This will lock the rotation for a fixed option.



**Elite Cable Cutout** Unscrew existing closed cable cutout & install the open cable cutout included with stand.



US Customer Support

**1800 293 9703**

[sales@bosstab.com](mailto:sales@bosstab.com)

Australia Customer Support

**1800 870 132**

[sales@bosstab.com.au](mailto:sales@bosstab.com.au)

**Warranty & Returns** If you receive an item that is faulty or damaged then you can send it back for a refund, replacement or store credit & we'll pay for the return postage costs. We offer a 12 month warranty on items that are deemed defective by the manufacturer. If you have a defective product covered by this warranty, we will either repair using new or refurbished parts, or if repair is not possible, replace the item. The warranty will not cover loss or theft, nor damage deemed to be caused by misuse or unauthorized modification. To view our full returns policy & initiate a return please visit [www.bosstab.com](http://www.bosstab.com)