

**H&S Airbrush & Compressor Catalogue****Airbrush & Compressor Price List (including 20% VAT)**

Ultra Solo	2ml cup, 0.2mm nozzle	£60
Ultra Two in One	2ml & 5ml cup, 0.2 & 0.4mm nozzle	£80
Hansa 381 Chrome	5ml cup, 0.3mm nozzle	£105
Hansa 281 Chrome	2ml cup, 0.2mm nozzle	£100
Evolution Solo	2ml cup, 0.2mm nozzle	£95
Evolution Solo + H&S Evolution Pen	2ml cup, 0.2mm nozzle	£105
Evolution Silverline Solo	2ml cup, 0.2mm nozzle	£100
Evolution Silverline M	Side feed 5ml cup, 0.4mm nozzle	£115
Evolution Two in One	2ml & 5ml cup, 0.2 & 0.4mm nozzle	£130
Evolution Silverline 2in1	2ml & 5ml cup, 0.2 & 0.4mm nozzle	£135
Evolution fPc 2in1	2ml & 5ml cup, 0.15 & 0.4mm nozzle	£150
Evolution CR plus	2ml cup, 0.15 or 0.2mm nozzle	£125
Evolution CR plus	5ml cup, 0.4mm nozzle	£125
Evolution CR plus 2 in 1	2ml & 5ml cup, 0.2 & 0.4mm nozzle	£175
Evolution AL plus	2ml cup & 0.2mm nozzle	£155
Evolution AL plus 2 in 1	2ml & 5ml cup , 0.2 & 0.4mm nozzle	£ 205
Infinity CR plus Solo	2ml cup, 0.15 or 0.2mm nozzle	£165
Infinity CR plus Solo	5ml cup, 0.4mm nozzle	£165
Infinity CR plus 2in1	2ml & 5ml cup, 0.15 & 0.4mm nozzle	£210

**( Above prices include a free H&S Cleaning Brush & Workshop DVD )**

Sparmax GP-35 0.35mm / GP-50 0.5mm, Trigger, 7 & 15ml cups	£90
little-jet Compressor £135 :Save £5 if bought with an airbrush over	£95
little-tank Compressor £210 :Save £10 if bought with an airbrush over	£125
Sparmax add on air tank inc regulator & switch 2.5l	£60, 5.3l £70
Graphicair A300S-D	£280 or £290 with a spare filter(prices include delivery)
Grex Genesis XA Single Action 7ml cup & 0.5mm nozzle- To clear	£60

# ***LITTLE-CARS . COM***

## **H&S Airbrush & Compressor Catalogue**

### **little-cars Airbrushing set**

We have put together a high quality, value for money set for both first time airbrush users and those looking to upgrade. The standard kit is based on the H&S Evolution Solo and little-jet compressor, but there are upgrade options to suit every user.

This contains everything you need to get you airbrushing and brings together top quality products that we are confident will give you many years of service.

The kit consists of the **Harder & Steenbeck Evolution Solo**

This airbrush is a high quality, German designed and manufactured airbrush, perfect for the beginner, easy to use and clean. And has the advantage that it can be adapted and added to as your painting needs change



The brush features a fine to general purpose 0.2mm paint nozzle (this fits into the air-cap then self-centres onto the brush as the air-cap is screwed onto the front of the brush) and 2ml gravity feed paint cup.

And the **little-jet Compressor**



The little-jet is our standard compressor offering. It is manufactured by Sparmax who make similar units for Iwata and Harder & Steenbeck.

Very simple to operate, with an On/Off switch on the top and a moisture trap and air regulator attached to the front.

It is light, very portable and suitable for either occasional or professional use.

- Low maintenance, quiet running 1/8 Hp motor approx 40dB
- Pressure gauge, moisture trap & air pressure Regulator
- Manual Power switch, Full 12 month Guarantee
- 2m Black heavy duty air hose
- Size: 26.5 x 14.5 x 17cm Weight: 3.5kg

# ***LITTLE-CARS . COM***

## **H&S Airbrush & Compressor Catalogue**

**Including..**



**Standard face mask**




**Cleaning pot** Acts as a desktop stand when airbrushing and collects unwanted spray when cleaning the brush.



**H & S Cleaning Brush**

The right size for cleaning the airbrush and nozzle.



**H & S Workshop DVD**

Takes you through the airbrush features, cleaning and practice exercises.

**A bottle of airbrush cleaner**

## **Airbrush sets Prices from £200 to £435**

**The Set prices as follows:**

H&S Ultra	£200
H&S Ultra 2in1	£220
H&S Evolution Solo	£235
H&S Evolution 2in1	£270
H&S Evo Silverline Solo	£240
H&S Evo Silverline 2in1	£275
H&S Evo Silverline fPc 2in1	£290
H&S Evolution CR plus	£265
H&S Evolution CRplus 2in1	£315
H&S Evolution AL plus	£295
H&S Evolution ALplus 2in1	£345
H&S Infinity CR plus solo	£305
H&S Infinity CR plus 2in1	£350
Hansa 281 Chrome	£240
Hansa 381 Chrome	£245
Sparmax GP-35/GP-50	£230
Iwata Revolution BR/CR	£255
Iwata Eclipse BS/CS/SBS	£290
Iwata HP B/C Plus	£317
Iwata Hi-line BH/CH	£357
Iwata Revolution TR	£340

**You can also upgrade to the little-tank compressor for £80**

***LITTLE-CARS.COM***  
**H&S Airbrush & Compressor Catalogue**  
**Harder & Steenbeck Ultra Airbrush**

This is the Starter airbrush from H&S, we stock 2 versions.

The Solo Brush is supplied with a general purpose 0.2mm nozzle and a 2ml paint cup.

The Ultra Two in One (shown below) has the Solo brush and also includes a larger 5ml paint cup and a larger area 0.4mm nozzle set in the case.



This is a high quality airbrush at a budget price and is designed and manufactured in Germany by Harder & Steenbeck.

It is a double action airbrush and is simple to clean. No tools are needed for disassembly, giving easy access to the needle and nozzles. We supply one of H&S's own cleaning brushes to help.

The nozzle (see below) is big enough to hold for cleaning and normally sits in the air cap and compression fits to the airbrush as it is screwed on.



We also include an H&S Workshop DVD to help get you started.

The airbrush is covered by the

Harder & Steenbeck 24 month warranty



***LITTLE-CARS.COM***  
**H&S Airbrush & Compressor Catalogue**  
**Harder & Steenbeck**

## **Evolution Solo Airbrushes**

The Evolution is the middle of the Harder & Steenbeck range and is the workhorse for the majority of users. This is a traditional double action airbrush and is easy to use, clean and disassemble without the need for tools.



The first two brushes feature a 0.2mm paint nozzle that fit into the air-cap then self centre onto the brush as the air-cap is screwed onto the front of the brush. A 2ml gravity feed paint cup and a quick release connector are fitted as standard.

The Silverline features an all Chrome finish and a manual paint flow restrictor on the rear handle.



**Evolution Silverline Solo**

These brushes can be used as a base and expanded to meet the user's requirements. A wide range of nozzle and paint cup sizes are available.

Also available is the Evolution Silverline M and features a side feed paint supply.



Supplied with a 5ml paint cup and 0.4mm nozzle set as standard, with a 15ml side feed bottle also included.



***LITTLE-CARS . COM***  
**H&S Airbrush & Compressor Catalogue**  
**Harder & Steenbeck**

**Evolution Two in One Set**



The Evolution is the middle of the Harder & Steenbeck range and is the workhorse for the majority of users.

The Evolution is a traditional double action airbrush and is supplied with a 0.2mm and 0.4mm Nozzle set.

Paint is gravity fed by either of the supplied 2ml or 5ml gravity feed paint cup. Like all the H&S brushes it is easy to clean thanks to the innovative design and self centring drop in paint nozzle.

**Evolution Silverline Two in One Set**



Supplied with the same 0.2mm, 0.4mm nozzle sets & 2ml, 5ml paint cups as its sister brush the Evolution 2in1.

The Silverline features an all Chrome finish and a manual paint flow restrictor on the rear handle.

Both Evolution Two in One brushes can be upgraded to 0.15 or 0.6mm nozzle sets. Optional paint cups: the 0.5ml micro cup and the 15ml & 50ml cup for larger areas.

***LITTLE-CARS.COM***  
**H&S Airbrush & Compressor Catalogue**  
**Harder & Steenbeck**

**Evolution Silverline fPc Two in One**



This is the top of the Evolution range and features both a paint flow needle restrictor and an on-brush air regulator (fPc).



The Evolution Silverline Brush is presented in an all chrome finish. It is fitted with a manual paint flow restrictor on the handle as standard and an fPc valve (regulator) on the stem.

The fPc Two-in-One set features;

- 2mm paint cup (fitted)
- 0.15mm self-centring, drop-in nozzle set (fitted)
- 5ml paint cup for larger paint jobs
- 0.4mm needle, self-centring, drop-in nozzle and head set
- On brush air regulator (fPc), allowing 20% to 100% of the air supply
- Manual paint flow restrictor on handle
- Quick release connector fitted on the as standard 1/8<sup>th</sup> inch connector

**Evolution CR plus**



H&S have released upgraded versions of both the Evolution airbrushes.

They feature, paint cup lid, heavy duty external chrome plating, triple internal copper and nickel coatings, new paint cup seal and triple PTFE needle seal, Infinity style fine line air cap. There are three solo versions available:

Evolution CR plus 0.15mm features 0.15mm nozzle set & 2ml paint cup, while the CR plus 0.2 mm features a 0.2mm nozzle set & 2ml paint cup.



Evolution CR plus 0.4mm features 0.4mm nozzle set & 5ml paint cup.

The brush is now also available in the **Evolution CR plus 2in1** set.

Featuring:

0.2mm and 0.4mm nozzle set.

2ml and 5ml paint cups and lids

*Chrome plated spares and CR plus seal sets available. Please ask for details.*





**The first aluminium bodied airbrush from H&S**

The brand new Evolution ALplus is Harder & Steenbeck's first airbrush made from aluminium, giving it an almost airy weight of only 56 g, just about half as much as a traditional airbrush.

Its striking design, with a stylish matte black finish accentuated by chromed open needle cap, cup, lever and centre ring.

The Evolution ALplus is available as a solo model with 0.2 mm fine line nozzle set and 2 ml flow cup and as a 2-in-1 version with an additional 0.4 mm nozzle set and 5 ml flow cup.



Also, the ALplus has all of the Evolution CRplus models' tried and tested ergonomics, features and functionalities.

***LITTLE-CARS . COM***  
**H&S Airbrush & Compressor Catalogue**  
**Harder & Steenbeck**  
**(infinity) CR plus**



The Infinity CR plus is the new top of the range airbrush from Harder and Steenbeck.

The CR plus features several improvements over the original Infinity including paint cup lid, heavy duty external chrome plating, triple internal copper and nickel coatings, new paint cup seal and triple PTFE needle seals.

The brush also features

- Variable Trigger sensitivity
- Quick-fix paint flow restrictor on handle, with numbered dial
- Push-fit needle cap, fine line and distance cap included
- Quick release connector fitted on the as standard 1/8<sup>th</sup> inch connector

There are three versions;

0.15mm features a 0.15mm nozzle set and 2ml paint cup.

0.2mm version features a 0.2mm nozzle set and 2ml paint cup.

0.4mm version features a 0.4mm nozzle set and 5ml paint cup.



***LITTLE-CARS.COM***  
**H&S Airbrush & Compressor Catalogue**  
**Harder & Steenbeck**  
**(infinity) CR plus 2 in1**



The Infinity CR plus is the top of the range airbrush from Harder and Steenbeck.



It takes the Evolution concept to the next level while keeping many of the tried and tested Evolution components, and now adding even more features:

- 2mm and 5ml paint cup and lids
- 0.15mm self-centring, drop-in nozzle, needle & head set (fitted)
- 0.4mm, self-centring, drop-in nozzle, needle & head set
- Variable Trigger sensitivity
- Quick-fix paint flow restrictor on handle, with numbered dial
- Push-fit needle cap, fine line and distance cap included
- Heavy duty external chrome plating
- Triple internal copper and nickel coatings
- New PTFE paint cup seal and triple PTFE needle seals

***LITTLE-CARS.COM***  
**H&S Airbrush & Compressor Catalogue**



Hansa is a company with a tradition of producing quality instruments and were taken over by Harder and Steenbeck in 2000. They produce a range of airbrushes that show a slightly different approach from H and S.

The Hansa Topline range of airbrushes are all gravity fed.

We are stocking the Chrome 381 & 281 models. Other versions are available on request. The 181 model with an internal 1ml paint cup is available on request.



All the Topline brushes feature a controlled double action function. The trigger is just pulled back, not pushed down. The air valve opens automatically as the trigger is pulled back.

The 381/281 brush features are as follows:

- 381 Removable 5ml gravity feed paint cup (removable) with lid
- 281 Removable 2ml gravity feed paint cup (removable)
- 381 0.3mm self centring, drop in nozzle, needle and head set
- 281 0.2mm self centring, drop in nozzle, needle and head set
- Manual paint flow restrictor on the handle as standard
- Quick release connector fitted on the standard 1/8<sup>th</sup> inch connector



## **H&S Airbrush & Compressor Catalogue**

### **Iwata Revolution TR-0/TR-1 / TR-2 Airbrush**



**TR-1/TR-0**

Featuring a Pistol Trigger with a fixed dual-action operation.

The Iwata Revolution TR Airbrushes deliver comfortable, ultra-smooth performance that's ideal for anything from general modelling to custom automotive painting. Supplied with the FA450 Iwata Pistol Grip Filter that acts as a secondary moisture defence, the HP-TR range spray just like conventional airbrushes. The brush is impervious to solvent-based paints thanks to the PTFE packing needle seal, which can be easily replaced. There is an optional custom grip handle and preset handle available as an accessory.

Three other variants are available:

The HP-TR0 (0.2mm) & HP-TR1 (0.3mm) with a 7ml side-mount cup.

The HP-TR2 (0.5mm) with a 15ml side-mount cup.

## **SPARMAX GP-35 (& GP-50)**



This is good quality general purpose Trigger airbrush and is the first airbrush stocked by the builder of our compressors.

Has a 0.35mm (0.5mm) nozzle 7ml and 15ml paint

cups that connect to the right of the brush. It also features a preset handle and grip handle as standard

We currently hold spares for these brushes and can also convert either brush to the other nozzle size. Brushes are built in the same factory that makes compressors for Iwata, so they are a known quantity with a proven track record & should give many years of use.



## **little-jet Compressor**



A great general purpose

Modelling compressor

Simple to use & control

Using quality components and is both quiet in operation and affordable.

### **Features of the little-jet:**

- Low maintenance, oil-less single piston air compressor
- Quiet running 1/8 Hp motor
- Pressure gauge, moisture trap & Air pressure Regulator
- 12-16 litres of air per minute.
- Power switch
- Supplied with a 6mm black vinyl hose with a standard 1/8<sup>th</sup> connector.
- Voltage: 220-240V
- Size: 26.5 x 14.5 x 17cm
- Weight: 3.5kg
- 12 months warranty

## **Add on Air Tanks 2.5 or 5.3 litre**

Connect your compressor power plug and air output to the tank. Tanks fill to 60psi, and the compressors power is then cut until the tank drops below 40psi

Complete with air regulator and UK/EU power plug.



***LITTLE-CARS . COM***  
**H&S Airbrush & Compressor Catalogue**

## **little-tank Compressor**



This is our premium compressor & like the other little-cars compressors is made in the same factory as the Iwata range.

It's high quality build and components should give many years of use.

The motor is an up-rated 1/6<sup>th</sup> hp version of the unit that is used in both the little-jet compressors.

This motor sits above and feeds a 2.5 litre air tank.

Once the tank pressure reaches 60psi the motor cuts out automatically.

It then starts up again when the tank pressure goes below 40psi.

### Other Features:

- A combined moisture trap/regulator is fitted to the front of the tank.
- Airflow is quoted at 23-26lpm, so two airbrushes can be fed at once
- The unit is normally supplied with two large ¼inch take off points (one is capped off)
- A 2.5m heavy duty clear vinyl hose is supplied and we have options to convert the supplied hose to fit all popular airbrushes
- Size is 27 by 16 by 37cm high and the unit weighs about 8kg
- It is quiet in operation; rated at 39dB
- The steel case and soft rubber feet help dampen vibration
- The top carry handle makes it easy to move the unit around
- The compressor carries a two year guarantee from little-cars

# **LITTLE-CARS . COM**

## **H&S Airbrush & Compressor Catalogue**

### **Graphicair A300S-D**



Made in the UK and with a lifetime guarantee this is the most cost effective solution we have found to clearing particles and fumes from the room.


Featuring a metal case, centrifugal blower mounted in front of a brushless motor. All wiring and switches are sealed.

The unit is supplied with a 2m by 100mm flexi-duct and carrying handle. This can be attached to standard domestic vents.

A replaceable fume/spray shield is attached to the front of the unit.

The unit can be used upright for airbrushing, modelling and soldering application, or on its back for spraying lacquer, fixatives etc to artwork up to A3 in size.

A300S-D Weight = 10 kgs



#### **Filtration**

The particulate (intake) filter is a three stage graduated fibre filter with a high 'dust' holding capacity for long life. Filtration to 5 micron particles. NB: Spray particulate sizes vary from 10 to 20 microns.

The dual process of filtration and then extraction to atmosphere via flexi-duct, vastly reduces and/or eliminates operator exposure to potentially hazardous substances.

#### **Specification**

Model Number	Fan Motor* Spec	Air Volume At Free Air	Ave. Air Velocity At Filter Face	Ave. Air Velocity At Shield Face	Noise Level LAeq dB(A)
A300S-D	230V 50Hz 105W	355 m3/hr	0.6 m/sec	0.50 m/sec	58

\* 110 Volts 50 or 60Hz available if required

**This unit is intended for Hobby & Workshop environments, for immediate operator protection from airborne contaminants. Not recommended for continual commercial applications. Other models are available; please contact us with your requirements.**

**V15.3 11/13**