



Xtreme

PERFORMANCE
MADE IN GERMANY



NEW

GRIND MAXX

Superb grinding

Precise, low-vibration grinding. Aggressive material removal and ultra-long lifetime.



XTREME

PERFORMANCE
MADE IN GERMANY



GRIND MAXX combines maximum grinding performance with precision and working comfort

**GRIND MAXX - our new high-performance grinding pad for angle grinders.
For lots of enjoyment during stock removal grinding.**

Why spend time with exhausting grinding, when it can be done so effortlessly? GRIND MAXX sets new standards in terms of stock removal speed, stock removal rate and lifetime. Convince yourself of the particularly pleasant, low-vibration application, in which extremely precise work succeeds in the best possible way.


Common applications for this innovative tool include: Removal of weld seams, chamfering, grinding surfaces, descaling as well as demanding deburring work.



Video
Grind Maxx

GRIND MAXX - IMPRESSIVE REMOVAL RATE

Comparative tests in the Osborn test laboratory provide impressive proof of the performance of the new Grind Maxx and Easy Grind grinding pads on steel in comparison with standard grinding discs and flap discs available on the market.



Stock removal in grams until the
abrasive grain is completely used up



Osborn
Grind Maxx

Steel Stainless Steel



GRIND MAXX

Xtreme ★★★★★

High-performance grinding pad for angle grinders with M14 thread

The secret of the high stock removal rates that can be achieved with GRIND MAXX is the use of a geometrically aligned, ceramic abrasive grain of the latest generation. This wears evenly, remains constantly sharp over the entire lifetime of the disc and enables cool grinding. The abrasive cloth is directly connected to the grinding disc. This ensures pleasant, low-vibration grinding with enormous stock removal. A backing pad is not required. In contrast to a grinding disc, the grinding is performed at a flat angle of 5° to max. 15°.


- Aggressive, ultra-fast material removal
- Enormous lifetime for highest productivity when used at an angle of 5° to max. 15°
- Pleasant, low-vibration operation - gentle on man and machine
- Grinding with high precision possible
- Cool grinding results
- Trimmable plastic backing
- Quickly mounted thanks to M14 thread
- For steel and stainless steel

Ø in mm	Grit	PU	Item code	EAN 4081600
115 x M14	36	10	6761-031 100	676563
125 x M14	36	10	6762-031 100	676570

Quickly mounted on the angle grinder thanks to M14 thread.



Easy to handle - Aggressive in stock removal



Osborn GmbH

Ringstraße 10
35099 Burgwald, Germany

Tel.: + 49 6451 5880
Fax: + 49 6451 588206
info@osborn.de

Dronco GmbH

Tochterges. der Osborn GmbH
Wiesenmühle 1
95632 Wunsiedel, Germany

Tel.: + 49 9232 6090
Fax: + 49 9232 609159
info@dronco.com

Your Dealer:



osborn.com