



LW3426EN



crochet

Designed by Heather Lodinsky

### What you will need:

RED HEART® Anne Geddes Baby™: 2 (2, 3) balls 941 Scooter A, and 1 (1, 1) ball 100 Lily B

Crochet Hooks: 3.75mm [F-5] and 5mm [H-8]

Stitch markers, five ½" (13mm) buttons, sewing needle and thread, yarn needle

TENSION/GAUGE: 16 sts = 10 cm [4"]; 21 rows = 10 cm [4"] in double crochet using larger hook. CHECK YOUR TENSION/GAUGE. Use any size hook to obtain the tension/gauge.



Red Heart® Anne Geddes Baby™, Art. 9809805 solid colors available in 100 g (3.5 oz), 310 m (339 yd) balls



## Happy Girl Cardigan and Booties

*This bright colour sweater and booties will set the stage for an active playful day. Of course, this set can be crocheted in any colour of the rainbow to coordinate with the rest of baby's wardrobe.*

Cardigan directions are for size 0-3 months. Changes for sizes 6-9 months and 12 months are in parentheses.

Bootie directions are for size 0-3 months. Changes for size 6-9 months are in parentheses.

### Cardigan

Finished Chest: 51 (56, 61) cm [20 (22, 24)"], including front bands

Finished Length: 23 (25.5, 28) cm [9 (10, 11)"]

### Booties

Finished Length: 7.5 (9.5) cm [3 (3¾)"]

### Special Stitches

**Bptr (Back post treble crochet)** = Yarn over, insert hook from back side of work to front and to back again around the post of indicated stitch; yarn over and pull up a loop (3 loops on hook), yarn over and draw through 2 loops (2 loops on hook), yarn over and draw through 2 loops (1 loop on hook).

**Fptr (Front post treble crochet)** = Yarn over, insert hook from front side of work to back and to front again around post of indicated stitch; yarn over and pull up a loop (3 loops on hook), yarn over and draw through 2 loops (2 loops on hook), yarn over and draw through 2 loops (1 loop on hook).

**dc2tog** = [Insert hook in next stitch, yarn over and pull up a loop] twice, yarn over and draw through all 3 loops on hook.

### Notes

1. Body of cardigan is worked in one piece beginning at lower edge. Piece is divided at underarm and back and fronts worked separately.
2. Sleeves are worked separately and sewn into armholes.

3. Each bootie is worked in one piece beginning at the heel end of the sole.

## CARDIGAN

### Body

With larger hook and A, ch 77 (85, 93).

**Row 1 (right side):** Dc in 2nd ch from hook and in each remaining ch across, turn – 76 (84, 92) dc.

**Row 2:** Ch 1, dc in each dc across, turn. Repeat last row until piece measures 11.5 (12.5, 14) cm [4½ (5, 5½)"] from beginning.

### Divide at Underarm for Fronts and Back First Front

**Row 1:** Ch 1, dc in first 19 (21, 23) sts, turn; leave remaining sts unworked for back and second front – 19 (21, 23) dc. Note: The beginning of Row 1 is the front edge, the end of the row is the armhole edge. The armhole edge will be shaped in the following rows.

**Row 2:** Ch 1, dc2tog, dc in each dc across, turn – 18 (20, 22) dc.

**Row 3:** Ch 1, dc in each st across to last 2 sts, dc2tog, turn – 17 (19, 21) dc.

**Rows 4 and 5:** Repeat Rows 2 and 3 – 15 (17, 19) dc at the end of Row 5.

**Row 6:** Ch 1, dc in each dc across, turn. Repeat last row until first front measures 6.5 (7.5, 9) cm [2½ (3, 3½)"] from divide, make sure the last row you work ends at front (neck) edge.

### Shape Neck

**Row 1:** Slip st in first 6 (7, 8) dc, ch 1, dc in each remaining dc across, turn – 9 (10, 11) dc.

**Row 2:** Ch 1, dc in each st across to last 2 sts, dc2tog, turn – 8 (9, 10) dc.

**Row 3:** Ch 1, dc2tog, dc in each st across, turn – 7 (8, 9) dc.

**Row 4:** Ch 1, dc in each st across, turn. Repeat last row until first front measures 11.5 (12.5, 14) cm [4½ (5, 5½)"] from divide. Fasten off.

Continued...



Please Note: Print this pattern using Landscape Orientation.

Find more ideas & inspiration: [www.redheart.co.uk](http://www.redheart.co.uk)

©2013 Coats & Clark

## Back

**Row 1:** With larger hook, join **A** with dc in first unworked st of last row of body following first front, dc in next 37 (41, 45) dc, turn; leave remaining sts unworked for second front – 38 (42, 46) dc.

**Rows 2–5:** Ch 1, dc2tog, dc in each st across to last 2 dc, dc2tog, turn – 30 (34, 38) dc at the end of Row 5.

**Row 6:** Ch 1, dc in each st across, turn. Repeat last row until back measures 9 (10, 11.5) cm [3½ (4, 4½)"] from divide.

Shape First Side of Back Neck

**Row 1:** Ch 1, dc in first 9 (10, 11) sts, turn; leave remaining sts of back unworked for second side of neck – 9 (10, 11) sts.

**Row 2:** Ch 1, dc2tog, dc in each st across, turn – 8 (9, 10) dc.

**Row 3:** Ch 1, dc in each st across to last 2 sts, dc2tog, turn – 7 (8, 9) dc.

**Row 4:** Ch 1, dc in each st across, turn. Repeat last row until this side of back measures same as first front. Fasten off.

## Shape Second Side of Back Neck

**Row 1:** Skip 12 (14, 16) unworked sts of back following first side of back neck, with larger hook, join **A** with dc in next st, dc in remaining 8 (9, 10) unworked sts, turn – 9 (10, 11) sts.

**Row 2:** Ch 1, dc in each st across to last 2 sts, dc2tog, turn – 8 (9, 10) sts.

**Row 3:** Ch 1, dc2tog, dc in each st across, turn – 7 (8, 9) dc.

**Row 4:** Ch 1, dc in each st across, turn. Repeat last row until this side of back measures same as first front. Fasten off.

## Second Front

**Row 1:** With larger hook, join **A** with dc in first unworked st of last row of body following

back, dc in each remaining st, turn – 19 (21, 23) sts. **Note:** The beginning of Row 1 is the armhole edge, the end of the row is the neck edge. The armhole edge will be shaped in the following rows.

**Row 2:** Ch 1, dc in each st across to last 2 sts, dc2tog, turn – 18 (20, 22) dc.

**Row 3:** Ch 1, dc2tog, dc in each dc across, turn – 17 (19, 21) dc.

**Rows 4 and 5:** Repeat Rows 2 and 3 – 15 (17, 19) dc at the end of Row 5.

**Row 6:** Ch 1, dc in each dc across, turn. Repeat last row until first front measures 6.5 (7.5, 9) cm [2½ (3, 3½)"] from divide, make sure the last row you work ends at the armhole edge.

## Shape Neck

**Row 1:** Ch 1, dc in first 9 (10, 11) sts, turn; leave remaining sts unworked – 9 (10, 11) dc.

**Row 2:** Ch 1, dc2tog, dc in each st across, turn – 8 (9, 10) dc.

**Row 3:** Ch 1, dc in each st across to last 2 sts, dc2tog, turn – 7 (8, 9) dc.

**Row 4:** Ch 1, dc in each st across, turn. Repeat last row until piece measures same as first front. Fasten off.

## Sleeves (make 2)

Beginning at lower (cuff) edge, with larger hook and **A**, ch 27 (29, 31).

**Row 1:** Dc in 2nd ch from hook and in each remaining ch across, turn – 26 (28, 30) dc.

**Rows 2–4:** Ch 1, dc in each dc across, turn.

**Row 5:** Ch 1, 2 dc in first dc, dc in each st across to last dc, 2 dc in last dc, turn – 28 (30, 32) dc.

**Rows 6–21:** Repeat last 4 rows 4 more times – 36 (38, 40) dc at the end of Row 21.

**Row 22:** Ch 1, dc in each st across, turn. Repeat last row until piece measures 11.5 (12.5, 14 cm [4½ (5, 5½)"] from beginning.

## Shape Cap

**Next 4 Rows:** Ch 1, dc2tog, dc in each st across – 32 (34, 36) dc remain. Fasten off.

## Cuff Ribbing

With right side facing and smaller hook, draw up a loop of **B** in lower corner to work across cuff edge.

**Row 1 (right side):** Ch 3 (counts as first tr), work 25 (27, 29) more tr evenly spaced across cuff edge, turn – 26 (28, 30) tr.

**Rows 2 and 3:** Ch 2 (counts as htr), \*Bptr around next st, Fptr around next st; repeat from \* to last st, htr in last st (top of turning ch), turn. Fasten off.

## FINISHING CARDIGAN

Sew shoulder seams. Sew side seams.

## Lower Ribbing

With right side facing and smaller hook, draw up a loop of **B** in lower front corner to work across lower edge.

**Row 1 (right side):** Ch 3 (counts as first tr), work 75 (83, 91) more tr evenly spaced across lower edge to opposite lower front corner, turn – 76 (84, 92) tr.

**Rows 2 and 3:** Work same as Rows 2 and 3 of cuff ribbing. Fasten off.

## Neckband

With right side facing and smaller hook, draw up a loop of **B** in corner of front neck to work around neck edge.

**Row 1 (right side):** Ch 3 (counts as first tr), work 17 (18, 19) more tr evenly spaced across neck edge to first shoulder seam, work 20 (22, 24) tr evenly spaced across back neck edge, work 18 (19, 20) tr evenly spaced across remainder of neck edge to opposite front corner, turn – 56 (60, 64) tr.

**Rows 2 and 3:** Work same as Rows 2 and 3 of cuff ribbing. Fasten off.

## Buttonband (work across left front edge for girls, right front edge for boys)

With right side facing and smaller hook draw up a loop of **B** in front corner to work across front edge.

**Row 1 (right side):** Ch 3 (counts as first tr), work 39 (47, 55) more tr evenly spaced across entire front edge (including edge of neckband), turn – 40 (48, 56) tr.

**Rows 2 and 3:** Work same as Rows 2 and 3 of cuff ribbing. Fasten off.

## Buttonhole Band (work across right front edge for girls, left front edge for boys)

With right side facing and smaller hook draw up a loop of **B** in front corner to work across front edge.

**Row 1 (right side):** Ch 3 (counts as first tr), work 39 (47, 55) more tr evenly spaced across entire front edge (including edge of neckband), turn – 40 (48, 56) tr.

**Row 2 (buttonhole row):** Ch 2 (counts as htr), Bptr around next st, Fptr around next st, Bptr around next st, \*ch 3, skip next tr, Bptr around next st, [Fptr around next st, Bptr around next st] 3 (4, 5) times; repeat from \* 3 more times, ch 3, sk next tr, Bptr around next st, Fptr around next st, htr in last st, turn.

**Row 3:** Ch 2, Bptr around next st, Fptr around next st, tr in next ch-3 space, \*[Fptr around next st, Bptr around next st] 3 (4, 5) times, Fptr around next st, tr in next ch-3 space; repeat from \* 3 more times, Fptr around next st, Bptr around next st, htr in last st. Fasten off.

Continued...



**Please Note:** Print this pattern using Landscape Orientation.

Sew sleeve seams. Sew sleeves into armholes. With sewing needle and thread, sew buttons to buttonband opposite buttonholes on buttonhole band. Weave in ends.

## BOOTIES (make 2)

### Sole

With larger hook and **A**, ch 7 (9).

**Foundation Row:** Dc in 2nd ch from hook and in each ch across – 6 (8) dc.

**Next 6 (7) Rows:** Ch 1, turn, dc in each st across.

**Next Row:** Ch 1, turn, 2 dc in first dc, dc in each dc across to last dc, 2 dc in last dc – 8 (10) dc.

**Next 7 (10) Rows:** Ch 1, turn, dc in each st across.

### Sides

**Round 1:** Do not turn, work 14 (18) dc evenly spaced down side of sole; work 6 (8) dc across opposite side of foundation ch (this is the heel); work 14 (18) dc evenly spaced up other side of sole; dc in each st of last row; do not join, work in continuous rounds (spiral) – 42 (54) dc. Place marker in last stitch made to indicate end of round. Move marker up as work progresses.

**Next 3 (4) Rounds:** Working in front loops only, dc in each dc around.

### Top of Foot

**Notes:** The top of foot is worked back and forth in rows across one end of the bootie. Take care to turn when instructed. When working the top of foot, do not ch 1 at beginning of rows.

**Row 1:** Dc in next 1 (2) dc, slip st in next dc, TURN and leave remaining sts unworked; skip slip st, working in front loops only, dc in next 8 (10) dc; working in both loops, slip st in next 2

dc, TURN; leave remaining sts unworked.

**Next 8 (12) Rows:** Skip first 2 slip sts, working in front loops only, dc in next 8 (10) dc across top of foot; working in both loops, slip st in next 2 unworked dc on side of Bootie, turn.

**Next Row:** Skip first 2 slip sts, working in front loops only, dc in next 8 (10) dc across top of foot; working in both loops, slip st in next unworked dc on side of Bootie.

### Cuff

**Rounds 1 and 2:** Dc in each st all the way around top of Bootie, working twice around and ending at center back of Bootie. Fasten off.

### Ribbing

With right side facing and smaller hook, draw up a loop of **B** in last st of cuff (at center back).

**Round 1 (right side):** Ch 3 (counts as first tr here and throughout), work 24 (28) more tr evenly spaced around top of cuff; join with slip st in top of beginning ch – 25 (29) tr.

**Round 2:** Ch 3, \*Fptr around next st, Bptr around next st; repeat from \* around; join with slip st in top of beginning ch.

Repeat Round 2 for a total of 10 rounds of ribbing or until cuff is desired length.



**Last Round:** Change to larger hook, repeat Round 2. Fasten off.

## FINISHING BOOTIES

Weave in ends. Turn down cuff.

### Abbreviations

**A, B, C** = Color A, B, C; **ch** = chain; **cm** = centimeters; **dc** = double crochet; **htr** = half treble crochet; **mm** = millimeters; **st(s)** = stitch(es); **tog** = together; **tr** = triple or treble crochet; **yo** = yarn over; **[ ]** = work directions in brackets the number of times specified; \* **or \*\*** = repeat whatever follows the \* or \*\* as indicated.



**Please Note:** Print this pattern using Landscape Orientation.