



LW3681EN



crochet

Designed by Tammy Hildebrand

What you will need:

RED HEART® Anne Geddes Baby™: 3 (3, 4) balls 00301 Teddy A, 1 ball each 00100 Lily B, 0902 Ladybug C, and 00691 Grass D

Crochet Hook: 4mm [US G-6]

Stitch markers, yarn needle, 24 (27, 30) 12mm [½"] buttons to match A, 12mm [½"] button to match D, sewing needle, thread to match

TENSION/GAUGE: 14 sts = 10 cm [4"]; 17 rows/rounds = 10 cm [4"] in pattern stitch. CHECK YOUR TENSION/GAUGE. Use any size hook to obtain the tension/gauge.



Red Heart® Anne Geddes Baby™, Art. 9809805 solid colors available in 100 g (3.5 oz), 310 m (339 yd) balls



Gingerbread Baby Set

You hear people say that a baby looks good enough to eat...you can make it actually happen with this darling gingerbread man outfit for your little one. Crocheted one-piece romper is accessorized with rickrack trimmed vest, peppermint beanie and a spiffy bow tie. It's the perfect outfit for memorable holiday photos!

Directions are for size 6 months. Changes for sizes 12 months and 18 months are in parentheses.

Romper measures 48.5 (51, 54.5) cm [19 (20, 21½)"] chest x 57.5 (62.5, 67.5) [22½ (24½, 26½)"] long from shoulder to foot.

Vest measures 33 (36, 39.5) cm [13 (14¼, 15½)"] chest plus 7.5 cm [3"] edging x 24 (26.5, 29) cm [9½ (10½, 11½)"] long with edging.

Beanie measures 35.5 (43, 51) cm [14 (17, 20)"] circumference.

Special Stitches

dc2tog = [Insert hook in next stitch, yarn over and pull up a loop] twice, yarn over and draw through all 3 loops on hook.

FPdc (front post double crochet) = Insert hook from front to back and to front again around post of indicated stitch, yarn over and draw up a loop, yarn over and draw through 2 loops on your hook.

Notes

- Romper is worked from bottom of left leg up, then right leg is worked from bottom up. Body is worked across both legs, split for right front, back, and left front, then seamed at shoulders. Sleeves are worked from stitches picked up around armhole and is worked in rounds down to cuff.
- Vest is made from bottom up, splitting for right front, back, and left front, and then seamed at the shoulders.
- Pay close attention to correct placement of FPdc in rick rack rows as some FPdc are worked 1 row below and others 2 rows below.
- Do not turn, join, or fasten off unless instructed to do so.

ROMPER

Left Leg

With **A**, ch 27 (29, 31).

Row 1 (right side): Dc in 2nd ch from hook and each ch, turn—26 (28, 30) dc.

Rows 2–10: Ch 1, dc in each st, turn.

Row 11: Ch 1, 2 dc in first st, dc in each st to last st, 2 dc in last st, turn—28 (30, 32) dc.

Rows 12–31: Repeat Rows 2–11 twice—32 (34, 36) dc.

Rows 32–34 (38, 42): Repeat Row 2. Fasten off at end of Row 34 (38, 42).

Right Leg

Repeat Rows 1–34 (38, 42) of left leg. Do not fasten off at end of Row 34 (38, 42).

Body

Row 1 (right side): Ch 1, dc in each st; with right side facing, dc in each st of left leg, turn—64 (68, 72) dc.

Rows 2–42 (46, 50): Ch 1, dc in each st, turn.

Right Front

Row 1 (right side): Ch 1, dc in first 16 (17, 18) sts, turn; leave remaining sts unworked—16 (17, 18) dc.

Row 2: Ch 1, dc in each st, turn.

Row 3: Ch 1, dc in each st to last 2 sts, dc2tog, turn—15 (16, 17) dc.

Row 4: Ch 1, dc in each st, turn.

Rows 5–10: Repeat Rows 3 and 4 three times—12 (13, 14) dc.

Rows 11–13: Ch 1, dc2tog, dc in each st to last 2 sts, dc2tog, turn—6 (7, 8) dc.

Rows 14–19: Ch 1, dc in each st, turn. Fasten off at end of Row 19.

Back

With right side of body facing, skip next st of Row 42 (46, 50) and join **A** with dc in next st.

Continued...



Please Note: Print this pattern using Landscape Orientation.

Find more ideas & inspiration: www.redheart.co.uk

©2013 Coats & Clark

Row 1: Dc in next 29 (31, 33) sts; leave remaining sts unworked, turn—30 (32, 34) dc.

Rows 2-4: Ch 1, dc in each st, turn.

Row 5: Ch 1, dc2tog, dc in each st to last 2 sts, dc2tog, turn—28 (30, 32) dc.

Rows 6-13: Repeat Rows 2-5 twice—24 (26, 28) dc.

Rows 14-16: Ch 1, dc in each st, turn.

Right Shoulder

Row 1 (right side): Ch 1, dc in first 6 (7, 8) sts; leave remaining sts unworked — 6 (7, 8) dc.

Rows 2-3: Ch 1, dc in each st, turn. Fasten off at end of Row 3.

Left Shoulder

With right side of back facing, skip next 12 sts and join **A** with dc in next st.

Row 1: Dc in next 5 (6, 7) sts, turn—6 (7, 8) dc.

Rows 2-3: Ch 1, dc in each st, turn. Fasten off at end of Row 3.

Left Front

With right side of body facing, skip next st of Row 42 (46, 50) and join **A** with dc in next st.

Row 1: Dc in each st, turn—16 (17, 18) dc.

Row 2: Ch 1, dc in each st, turn.

Row 3: Ch 1, dc2tog, dc in each st, turn—15 (16, 17) dc.

Row 4: Ch 1, dc in each st, turn.

Rows 5-10: Repeat Rows 3 and 4 three times—12 (13, 14) dc.

Rows 11-13: Ch 1, dc2tog, dc in each st to last 2 sts, dc2tog, turn—6 (7, 8) dc.

Rows 14-19: Ch 1, dc in each st, turn. Fasten off at end of Row 19.

Sew shoulders.

Front Buttonhole Band

With right side and front of right leg facing, join **A** with dc in end of Row 1.

Row 1: Working across ends of rows, dc 97 (106, 112) sts evenly up front of right leg, body, front, and shoulder, 12 sts between shoulders, dc 98 (107, 113) sts evenly down front of left shoulder, front, body, and leg, turn—208 (226, 238) dc.

Row 2 (buttonhole row): Ch 1, dc in first 39 sts, *ch 1, skip next st (buttonhole made), dc in next 3 sts; repeat from * 11 (12, 13) times, dc in remaining sts, turn—196 (213, 224) dc and 12 (13, 14) buttonholes.

Row 3: Ch 1, dc in each st and ch-1 space—208 (226, 238) dc. Fasten off.

Front Button Band Rick Rack

With right side facing, join **B** with dc around post of first st of Row 1 of front button band.

Row 1: Skip next 2 sts of row previously made, 3 dc in next st, skip next 2 sts, *3 FPdc around next st of Row 1 of front button band, skip next 2 sts of row previously made, 3 dc in next st, skip next 2 sts of Row 1 of front button band; repeat from * to last st, FPdc around last st. Fasten off.

With right side facing and with sewing needle and matching thread, sew 12 (13, 14) buttons on left band under buttonholes.

Back Buttonhole Band

With right side and back of left leg facing, join **A** with dc in end of Row 1.

Row 1: Working across ends of rows, dc 33 (37, 41) sts evenly across back of left leg, dc 34 (38, 42) sts evenly across back of right leg, turn—68 (76, 84) dc.

Row 2 (buttonhole row): Ch 1, dc in first 2 sts, *ch 1, skip next st (buttonhole made), dc in next 5 sts; repeat from * 5 (6, 7) times, * dc in next 8 (6, 4) sts; repeat from * to * once; dc in remaining sts, turn—56 (72, 68) dc and 12 (14, 16) buttonholes.

Row 3: Ch 1, dc in each st and ch-1 space. Fasten off.

With wrong side facing and with sewing needle and matching thread, sew 6 (7, 8) buttons on each leg centered on front button band under buttonholes. Fasten buttons through back buttonhole band.

Sleeve Cap (make 2)

With right side of armhole facing, join **A** with dc in 8th row below shoulder seam.

Row 1: Working over ends of rows, dc in next 15 rows around shoulder; leave remaining sts unworked, turn—16 dc.

Rows 2-4: Ch 1, dc2tog, dc in each st to last 2 sts, dc2tog, turn—10 dc. Fasten off at end of Row 4.

Sleeve (make 2)

With right side of armhole facing, join **A** with dc in first unworked st at underarm.

Row 1: Dc in same st as join, working across ends of rows, dc in each row to sleeve cap, dc in each row of sleeve cap; working in last row of sleeve cap, dc2tog, dc in each st to last 2 sts, dc2tog; working across ends of rows, dc in each row of sleeve cap to last row, 2 dc in last row; join with slip st in first dc—40 dc.

Row 2: Ch 1, dc in each st around; join with slip st in first dc.

Row 3: Ch 1, dc2tog, dc in each st up to last 2 sts, dc2tog; join with slip st in first st—38 dc.

Row 4: Repeat Round 2.

Rounds 5 and 6: Repeat Rounds 3 and 4—36 dc.

Row 7: Ch 1, dc2tog, dc in each st to shoulder, dc2tog, dc in each remaining st; join with slip st in first st—34 dc.

Row 8: Repeat Round 2.

Rounds 9-16: Repeat Rounds 7 and 8 four times—26 dc.

Row 17: Ch 1, dc2tog, dc in each st to shoulder, [dc2tog] twice, dc in each st to last 2 sts, dc2tog; join with slip st in first st—22 dc.

Round 18: Repeat Round 2.

Rounds 19 and 20: Repeat Rounds 7 and 8 once—20 dc.

Rounds 21-29 (33, 37): Ch 1, dc in each st; join with slip st in first st. Fasten off at end of Round 29 (33, 37).

Sleeve Rick Rack

With right side facing, join **B** with dc in any st of round previously made.

Row 1: Work 2 dc in same st, *skip next st, working around post of st of Round 27 [31, 35] of sleeve, 3 FPdc around next st, skip next st in round previously made, 3 dc in next st; repeat from * around; join with slip st in first dc. Fasten off.

VEST

Body

With **C**, ch 47 (51, 55).

Row 1 (right side): Dc in 2nd ch from hook and in each ch, turn—46 (50, 54) dc.

Rows 2-10 (14, 18): Ch 1, dc in each st, turn.

Left Front

Row 1 (right side): Ch 1, dc in first 6 (7, 8) sts; leave remaining sts unworked, turn—6 (7, 8) dc.

Rows 2-24: Repeat Row 1 twenty-three times. Fasten off at end of Row 24.

Back

With right side facing, skip next st on last row of body and join **C** with dc in next st.

Row 1: Dc in next 31 (33, 35) sts; leave remaining sts unworked, turn—32 (34, 36) dc.

Rows 2-24: Ch 1, dc in each st, turn. Fasten off at end of Row 24.

Right Front

With right side facing, skip next st on last row of body and join **C** with dc in next st.

Row 1: Dc in next 5 (6, 7) sts—6 (7, 8) dc.

Continued...



Please Note: Print this pattern using Landscape Orientation.

Rows 2-24: Repeat Row 1 twenty-three times. Fasten off at end of Row 24. Sew fronts to back.

Edging

Note Continue working in rounds. Place markers in indicated sts and move marker up as each round is completed.

With right side facing, join **C** with dc in end of Row 1 on right front.

Round 1: Working over ends of rows, 4 dc in same space as join, place marker in 3rd st of 5-st group, dc in each row to last row before back, dc2tog over last row and first st of back, dc in each st in back to last st of back, dc2tog over last st and first row of left front, dc in each row of left front to Row 1, 5 dc in Row 1, mark 3rd st of 5-st group, working across opposite side of foundation ch, dc in each ch; join with slip st in first dc, turn—140 (152, 164) dc.

Rounds 2 and 3: Ch 1, *dc in each st to next marked st, 5 dc in marked st; repeat from * once, dc in remaining st; join with slip st in first dc, turn—156 (168, 180) dc at end of Round 3. Fasten off at end of Round 3.

Vest Rick Rack

With right side facing, join **B** with dc in any st of last round.

Round 1: Work 2 dc in same st as join, skip next st, working around post of next st of Round 1 of edging, 3 FPdc around next st, skip next st in round previously made, *3 dc in front loop only of next st, skip next st of Round 1 of edging, 3 FPdc around next st, skip next st in round previously made; repeat from * around; join with slip st in first dc. Fasten off.

Vest Border

Note Continue working in continuous, unturned rounds.

With right side facing, join **D** with dc in marked st on right front.

Round 1 (right side): Working in skipped sts and unworked back loops behind rick rack, 4 dc in same st as join, dc in each st to next marker, 5 dc in marked st, dc in each st to end; join with slip st in first dc—164 (176, 188) dc. Remove markers.

Rounds 2 and 3: Ch 1, dc in each st; join with slip st in first dc.

Round 4: Ch 1, dc in first 45 sts, [dc2tog] 10 times across back, dc in each remaining st; join with slip st in first dc. Fasten off.

Armhole Edging (make 2)

With right side of right armhole facing, join **C** with dc in skipped st between front and back.

Round 1: Working over ends of rows of armhole, dc in each row; join with slip st in first dc. Fasten off.

Repeat for left armhole.

BOW TIE

First Half

With **D**, ch 4.

Row 1 (right side): Dc in 2nd ch from hook and each ch, turn—3 dc.

Row 2: Ch 1, dc in each st, turn.

Row 3: Ch 1, 2 dc in first st, dc in each st to last st, 2 dc in last st, turn—5 dc.

Rows 4-7: Repeat Rows 2 and 3 twice—9 dc.

Rows 8-11: Repeat Row 2 four times.

Row 12: Ch 1, dc2tog, dc in each st to last 2 sts, dc2tog, turn—7 dc.

Row 13: Repeat Row 2.

Rows 14-17: Repeat Rows 12 and 13 twice—3 dc.

Fold first half in half, matching sts of Rows 1 and 17.



Continued...



Please Note: Print this pattern using Landscape Orientation.

Find more ideas & inspiration: www.redheart.co.uk

Joining Row: Ch 1, working through both thicknesses, dc in each st, turn.

Second Half

Row 1 (right side): Ch 1, dc in each st across, turn.

Rows 2-17: Repeat Rows 2-17 of first half. Do not fasten off.

Edging

Pivot bowtie to work in ends of rows, ch 1, dc in each row of first side. Fasten off. Join **D** to first row of opposite side, working in ends of rows, ch 1, dc in each row. Fasten off, leaving long tail for sewing. Fold second half in half and sew Row 17 to center of bow.

Strap

With **D**, ch 4.

Row 1 (right side): Dc in 2nd ch from hook and in each ch, turn—3 dc.

Row 2: Ch 1, dc in each st, turn.

Repeat Row 2 until strap measures approximately 28 cm [11"].

Buttonhole Row: Ch 1, dc in first st, ch 1, skip next st, dc in last st, turn—2 dc.

Repeat Row 2 until strap measures approximately 30.5 cm [12"]. Fasten off. With sewing needle and matching thread, sew one button to opposite end from buttonhole. Center strap to back of bow and sew with yarn needle and tail.

BEANIE

Note Work in continuous rounds. Place marker at beginning of round and move marker up as each round is completed.

With **A**, ch 3, join with slip st to form ring.

Round 1 (right side): Ch 1, 10 dc in ring—10 dc.

Round 2: 2 dc in first st and in each remaining st—20 dc.

Round 3: Dc in each st.

Round 4: *2 dc in next st, dc in next st; repeat from * around—30 dc.

Round 5: *2 dc in next st, dc in next 2 sts; repeat from * around—40 dc.

Round 6: *2 dc in next st, dc in next 3 sts; repeat from * around—50 dc.

Rounds 7 and 8: Repeat Round 3.

Sizes 12 month and 18 month only:

Round 9: *2 dc in next st, dc in next 4 sts; repeat from * around—60 dc.

Size 18 month only:

Round 10: *2 dc in next st, dc in next 5 sts; repeat from * around—70 dc.

All Sizes

Rounds 9-28 (10-30, 11-32): Repeat Round 3 twenty (twenty-one, twenty-two) times.

Round 29 (31, 33): *Dc in next 3 (4, 5) sts, dc2tog; repeat from * around; join with slip st in first dc—40 (50, 60) dc.

Brim

Round 1: Ch 1, working in front loops only, dc in each st; join with slip st in first dc.

Rounds 2-9: Ch 1, dc in each st around, join with slip st in first dc. Fasten off at end of Round 9.

Beanie Rick Rack

With wrong side of brim facing, join **B** with dc in any st.

Round 1: Work 2 dc in same st as join, skip next st, working around post of next st of Round 7 of brim, 3 FPdc around next st, *skip next st in round previously made, 3 dc in next st, skip next st, working around post of next st of Round 7 of brim, 3 FPdc around next st; repeat from * around; join with slip st in first dc. Fasten off.

PEPPERMINT CANDY (Make 7)

With **B**, ch 4, join with slip st to form ring.

Round 1 (right side): Ch 1, [dc in ring, ch 1] 6 times—6 dc and 6 ch-1 spaces. Fasten off.

Round 2: With right side facing, join **C** with slip st in any dc, *htr in next ch-1 space, slip st in next dc; repeat from * 5 times; join with slip st in same dc as first join—6 htr and 6 slip sts.

Round 3: Ch 1, dc in first slip st, dc in back loop only of next htr, *dc in next slip st, dc in back loop only of next htr; repeat from * around, join with slip st in first dc. Fasten off, leaving long tail for sewing.



FINISHING

Sew 1 peppermint candy to center of bow. Using photograph as a guide, sew 6 candies evenly spaced under rick rack to wrong side of brim.

Weave in ends. Block lightly, if necessary.

Abbreviations

A, B, C = Color A, B, C; **ch** = chain; **cm** = centimeters; **dc** = double crochet; **Fpdc** = Front post double crochet; **htr** = half treble crochet; **mm** = millimeters; **st(s)** = stitch(es); **yo** = yarn over; [] = work directions in brackets the number of times specified; * or ** = repeat whatever follows the * or ** as indicated.



Please Note: Print this pattern using Landscape Orientation.