

In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	4
Issue Date:	Feb-2013
Page	1 of 11

SECTION 1: IDENTIFICATION OF THE PRODUCT AND OF THE MANUFACTURER/SUPPLIER

1.1	Product Identifier:	F THE PRODUCT AND OF THE MANUFACTURER/SUPPLIER Valve Pegulated Lead-Acid (VPLA) Industrial Battery		
1.1		Valve Regulated Lead-Acid (VRLA) Industrial Battery		
	Classification:	Battery, wet, non-spillable, electric storage Substance classification: UN 2800		
	Product Codes:	EN & ENL, NP, NPC, NPH, NPL, NPW, RE, REC, REW, SWL, TEV, UXH, UXL, YPC, Yucel Serie Industrial VRLA Batteries		
1.2	Relevant Identified Uses Of The Product And Uses Advised Against	Relevant identified uses: Standby: Telecoms; UPS; alarm and security systems; emergency lighting; utility switching Cyclic: Golf Trolleys, portable tools, portable lighting, wheelchairs, remote telemetry Energy storage: Photovoltaic energy systems (PVES); wind turbines		
		Uses advised against: Automotive, commercial, and agricultural SLI applications Reason why uses advised against: High starting and ignition current demands beyond the design of internal and external current carrying components		
1.3	Details Of The Supplier Of The Safety Data Sheet	Supplier: Yuasa Battery Europe Ltd, Address: Unit 22, Rassau Industrial Estate, Ebbw Vale, NP23 5SD United Kingdom Contact: Peter HOLLINGWORTH (Technical Support Manager)		
		Tel: (+44) 01495 354 062 e-mail: peter.hollingworth@yuasaeurope.com Language: English language only Available: Office hours only: 8am to 4pm (08:00 to 16:30)		
	National Contacts:	France: Contact: Christian RAYNAUD (Technical Manager) Tel: (+33) 0474-95-90-95 e-mail: christian.raynaud@yuasa.fr Language: French & English		
		Germany: Contact: Joachim HEER (UPS / Project Manager) Tel: (+49) 0211-41790-15 e-mail: joachim.heer@yuasa-battery.de Language: German & English		
		Contact:		
		Italy: Contact: Marco FILIPPI (Technical Manager) Tel: (+39) 02-3800-91-08 e-mail: marco.filippi@yuasa.it Language: Italian & English		
		UK: Contact: Matt JORDAN (Technical Services Manager) Tel: (+44) 01793-833-562 e-mail matt.jordan@yuasaeurope.com Language: English language only		
1.4	Emergency telephone number:	Contact: Mike TAYLOR (Product Manager) Tel: (+44) 07733 302 242 Opening Hours: Only available during office hours, 8am to 4pm (08:00 to 16:00) English language only Available: Office hours only: 8am to 4pm (08:00 to 16:30)		





In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	4
Issue Date:	Feb-2013
Page	2 of 11

SECTION 2: HAZARDS IDENTIFICATION

1/01 4 0 11	I	
VRLA Battery	Mechanical	VRLA Batteries can be heavy. Correct manual handling techniques and/or mechanical lifting aides (e.g. Fork Lift Truck) must be used.
	Electrical	VRLA Batteries can contain large amounts of electrical energy which can give very
		high discharge currents and severe electrical shock if the terminals are short
		circuited.
	Chemical	The VRLA Battery presents no chemical hazards during the normal operation
8		provided the recommendations for handling, storage, transport and usage are
200		observed.
1	A CONTRACTOR OF THE PARTY OF TH	VRLA Batteries emit hydrogen gas which is highly flammable and will form
200		explosive mixtures in air from approx 4% to 76%. This can be ignited by a spark
The second secon		at any voltage, naked flames or other sources of ignition.
		If the battery is broken and the internal components exposed, hazards may exist
	1.	which require careful attention.
Plate Grids and • Metallic lead, lead alloys a		ead alloys and Lead inorganic compounds:
Active materials	 Lead poisoning 	is usually caused by inhalation of minute particles of lead fume and dust, which are
	absorbed by the	blood stream from the lungs and deposited in the bone marrow.
		wly released from the bones and thus has an accumulative effect causing chronic
	poisoning.	Ty foldabad from the bornes and that the direction and the bornes
		tion or inholotion of dust vanour or fumo
		tion or inhalation of dust, vapour or fume
	•	n to the unborn child
0.000		ation a <mark>nd if</mark> swallowed
	 Danger of cumu 	lative effects
Battery Electrolyte	Severe IRRITATIO	N and DAMAGE to internal tissues if swallowed,
	IRRITATION of eyes and skin and may cause BURNS and DERMATITIS. Standard Grade, UL94:HB & Flame Retardant (FR) Grade, UL94:V0. No hazard in normal use. Material can burn in a fire with toxic smoke and decomposition products.	
Case Material		
11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Separator Material		use IRRITATION to skin or eyes upon exposure, and to internal tissues if
Separator Material	inhaled or swallow	
	innaled or swallow	eu

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1	Substances pr	esent in the pro	oduct			
	Components	Risk Phrases ¹	Substances	Approximate % (W/ _W)	Chemical Symbol	CAS No.
	Plate Grid	R23	Metallic lead	30 to 40	Pb	7439-92-1
	100	R25	Calcium	< 0.1	Ca	7440-70-2
			Tin	< 2	Sn	7440-31-5
	Active	R23	Lead Monoxide	< 0.1	PbO	1317-36-8
	Materials	R24	Lead Dioxide (Lead IV Oxide)	35 to 45	PbO ₂	1309-60-0
		R25	Barium compound	< 1.5	Ba	7440-39-3
	Battery Electrolyte	R21 R22 R35 R36 R37 R38 R49	Dilute Sulphuric Acid	10 to 20	H ₂ SO ₄	7664-93-9
	Case Material	1	Standard Grade, UL94:HB ABS (Acrylonitrile-Butadiene-Styrene Copolymer)	5 to 10		9003-56-9
			Flame Retardant (FR) Grade, UL94:V0 • ABS (Acrylonitrile-Butadiene-Styrene Copolymer)	5 to 10		9003-56-9
	R		Tetrabromobisphenol-A-diglycygilether, with tribromophenol	< 0.1		40039-98-8
		Section 1	Antimony trioxide	< 0.01		1309-64-4
	Separator Material		Absorbent Glass Matt (AGM) Separator (100% Borosilicate Glass Microfibre)	2 to 5		65997-17-3
			rolyte (Dilute Sulphuric Acid) are the main components opendant on battery type. Contact Yuasa Battery UK Ltd			ances may be



¹ For full text of R-phrases see SECTION 16




In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	4
Issue Date:	Feb-2013
Page	3 of 11

SECTION 4: FIRST AID MEASURES FOR ACUTE EXPOSURE

This information is of relevance only if the VRLA Battery has suffered damage, is broken and persons have direct contact with the internal components.

Components		Action
Plate Grids and	Inhalation:	Remove the person from exposure to fresh air.
Active materials	IIII dididio	Seek advice from a medical doctor
	Ingestion	Wash out mouth with water and give plenty of water to drink. Do not induce vomiting.
3	1 10	Seek advice from a medical doctor
200	Skin Contact:	Wash off with plenty of water and soap to prevent accidental ingestion or inhalation
100		Seek medical advice if pain or rash does not reduce
and the same of th	Eye Contact:	Immediately irrigate with eyewash solution or clean water for at least 10 minutes, hold
	Line I	the eyelids apart. Then take the person to hospital without further delay
	Self-protection	Eye protection (safety glasses or face shield), and heavy-duty gloves are required.
4	for the first aider	In case of inhalation, a face mask or respirator may be required.
Battery Electrolyte		SPEED IS ESSENTIAL - OBTAIN IMMEDIATE MEDICAL ATTENTION.
	Inhalation:	Remove the person from exposure to fresh air.
The sale of the		If the person continues to feel unwell seek advice from a medical doctor.
	Ingestion	Wash out mouth with water and give plenty of water to drink.
151	200	Do not induce vomiting.
0.00		If the person continues to feel unwell seek advice from a medical doctor.
	Skin Contact:	Drench with large quantities of water.
	0.0	Remove contaminated clothing and place in water to dilute the acid
	V 100	Continue to wash the affected area for at least 10 minutes.
	F 0 1 1	Seek advice from a medical doctor
	Eye Contact:	SPEED IS ESSENTIAL - OBTAIN IMMEDIATE MEDICAL ATTENTION
	_	Immediately irrigate with eyewash solution or clean water for at least 10 minutes, hold the eyelids apart. Then take the person to hospital without further delay
	Self-protection	Eye protection (safety glasses or face shield), and heavy-duty gloves are required.
	for the first aider	In case of inhalation, a face mask or respirator may be required.
Case Material	Inhalation:	Material can burn in a fire with toxic smoke and decomposition products.
outo matorial	minaration.	Upon inhalation of decomposition products, keep patient calm, remove to fresh air, an
		seek advice from a medical doctor. If a large quantity is inhaled take the person to
		hospital.
		Note to physician: Treat according to symptoms (decontamination, vital functions), n
		known specific antidote.
	Ingestion	Wash out mouth with water and give plenty of water to drink. Do not induce vomiting.
700	01: 0	If the person continues to feel unwell seek advice from a medical doctor.
400	Skin Contact:	Areas affected by molten material should be quickly placed under cold running water a
		sterile protective dressing applied. Seek advice from a medical doctor.
	Eye Contact:	May cause irritation or injury due to mechanical action and traces of Battery Electrolyt
	Lye Contact.	Immediately irrigate with eyewash solution or clean water for at least 10 minutes, hold
THE REAL PROPERTY.	The same of the sa	the eyelids apart. Then take the person to hospital without further delay
CONT.	Self-protection	Eye protection (safety glasses or face shield), and disposable gloves are required.
	for the first aider	In case of inhalation, a face mask or respirator may be required.
Separator Material	Inhalation:	Remove patient from exposure to fresh air. If irritation persists, seek advice from a me
	District Control	doctor
	Ingestion	Wash out mouth with water and give plenty of water to drink. Do not induce vomiting.
All the same		person continues to feel unwell seek advice from a medical doctor.
Part	Skin Contact:	After contact with skin, wash immediately with plenty of soap and water. If irritation
		persists, seek advice from a medical doctor
	Eye Contact:	May cause irritation or injury due to mechanical action and traces of Battery Electrolyt
A .		Immediately irrigate with eyewash solution or clean water for at least 10 minutes, hold
	0-16	the eyelids apart. Then take the person to hospital without further delay
The second secon	Self-protection	Eye protection (safety glasses or face shield), and disposable gloves are required.





In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	4
Issue Date:	Feb-2013
Page	4 of 11

SECTION 5: FIRE-FIGHTING AND EXPLOSION HAZARD MEASURES

	VRLA Battery	General Information	 VRLA Batteries emit hydrogen gas which is highly flammable and will form explosive mixtures in air from approx. 4% to 76%. This can be ignited by a spark at any voltage, naked flames or other sources of ignition. Batteries in use will be part of an electrical circuit and must be isolated from the power source before attempting to put out a fire. Switch the power OFF before disconnecting the batteries from the power source. Damaged batteries may expose negative plates, grey in colour, which may ignite if allowed to dry out. These plates may be wetted down with water after the battery has been removed from all electrical circuits.
5.1		Suitable Extinguisher types:	CO ₂ ; Foam; Dry Powder.
		Unsuitable Extinguisher types	Water extinguishers must never be used to put out an electrical fire.
5.2		Hazardous combustion & decomposition products:	Carbon monoxide, Sulphur Dioxide, Sulphur Trioxide, lead fume and vapour, toxic fumes from decomposition of battery case materials.
5.3		Advice for fire-fighters	Full face visor or safety goggles; Respiratory equipment or self-contained breathing apparatus (SCBA); Full acid resistant protective clothing must be worn in fire-fighting conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

This information is of relevance only if the VRLA Battery has suffered damage and is broken.

Components		
VRLA Battery		VRLA batteries are designed to be safe to handle and not to leak battery electrolyte under normal conditions. In case of accidental damage heavy-duty gloves are required to pick-up the
		battery to protect against unseen electrolyte leakage
Plate Grids and Active Materials	Personal Precautions:	Eye protection (safety glasses or face shield), and heavy-duty gloves are required. If the material is wet, a face mask or respirator is not required If the material is dry, a face mask or respirator is required
_	Clean-up Methods:	Large, solid pieces may be picked up and bagged for recycling. Never use a brush to sweep up debris; it may create lead-dust in the air. Wet clean the spill area to remove all traces of debris. Battery debris and cleaning materials must be collected and placed in an inert sealed container (e.g. self-seal plastic bag or bucket) for disposal, see Section 13.
	Environmental Precautions:	Do not allow material to enter a watercourse. Exposed lead materials must be placed in an inert sealed container (e.g. self-seal plastic bag or bucket) for disposal, see Section 13.
Battery Electrolyte:	Personal Precautions:	Ensure suitable, acid resistant personal protective clothing (including heavy- duty gloves, safety glasses and respiratory protection) is worn during removal and clean-up of spillages.
	Clean-up Methods: Small spillages:	Neutralise and absorb the spillage using soda ash, sodium bicarbonate (available from supermarkets), sodium carbonate or calcium carbonate powder. Wet clean the spill area to remove all traces of debris. Battery debris and
	V	cleaning materials must be collected and placed in an inert sealed container (e.g. self-seal plastic bag or bucket) for disposal, see Section 13.
	Large spillages:	Large amounts of electrolyte spillage are unlikely with VRLA batteries since the electrolyte is fully absorbed in the active materials and separator. Bund the spillage area using dry sand, earth, sawdust or other inert material.
		Neutralise the electrolyte using soda ash, sodium bicarbonate (available from supermarkets), sodium carbonate or calcium carbonate powder. Wet clean the spill area to remove all traces of debris and electrolyte. Cleaning materials must be collected and placed in an inert sealed container (e.g. self-seal plastic bag or bucket) for disposal, see Section 13.
	Environmental Precautions:	Battery electrolyte must not be allowed to enter any drains or sewage system or water course.
Case Material:	Clean-up Methods:	Assume battery case material is contaminated and proceed as for Plate Gridand Active Materials above.
Separator Material:	Clean-up Methods:	Assume battery case material is contaminated and proceed as for Plate Grid and Active Materials above.

Note: If appropriate refer to 8 and 13



In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	4
Issue Date:	Feb-2013
Page	5 of 11

SECTION 7: HANDLING AND STORAGE

	Component:		
	VRLA Battery		
7.1	Alexander of the second	Precautions For Safe	Only trained operators should be allowed to handle VRLA batteries.
		Handling:	PPE: No specialist protective clothing or equipment is required, except
		The second second	that for handling heavy weights.
			Hygiene: There are no specialist requirements beyond good, standard
	200		workplace practices,
	34		Mechanical lifting aides: (e.g. FLT and pallet trucks) will be required to move pallets of batteries. Weight approximately 1 tonne
			Mechanical handling aides: (e.g. trucks and lifters) will be required to
			handle individual batteries over 25 kg in weight.
		100	General Safety Considerations:
ł			Do not drop batteries: dents and deformation of the case may be an
			indication of internal damage to the battery. Cracks will allow
			electrolyte to escape.
7.2		Conditions For Safe	Do not place VRLA Batteries lid-to-lid so that terminals will short-circuit.
7.2	.,	Storage, Including Any	Store VRLA Batteries in a cool, well ventilated area with a solid, impervious surface, and adequate containment in the event of
	721	Incompatibilities:	accidental acid spillage.
	10000	incompatibilities.	Store under a roof and protect against direct sunlight and adverse
			weather conditions including rain, snow and other sources of water.
		200	Storage of large quantities of VRLA batteries may require approval
		1 Total 1	from local environmental protection agency and/or local water
			authorities.
			Pallets of VRLA Batteries are heavy. Store at ground level or in lower
		_	levels of storage systems (e.g. racking).
			Take special care in dry conditions to avoid the risk of electrostatic
		10.00	discharges.
	-		Protect against physical damage and exposure to organic solvents and
			other incompatible materials.
			Do not store VRLA batteries close to sources of heat, naked flames
			and sparks.
			Store batteries in their original packaging wherever possible. When
			batteries are removed from their original packaging (e.g. for
			transportation of small quantities), ensure new packaging protects the
	1	End-of-Life	batteries from damage and the risk of short-circuit of the terminals. Ensure batteries are removed from equipment at the end of life and are
		(EC WEEE Regulations)	collected for recycling by an approved contractor.
7.3		Specific End Uses:	Refer to EN 50272-1:2010, Safety requirements for secondary
7.5		Installation:	batteries and battery installations – Part 1 General safety
			information.
			2. Refer to EN 50272-2:2001, Safety requirements for secondary
ł			batteries and battery installations – Part 2 Stationary batteries.







In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	4
Issue Date:	Feb-2013
Page	6 of 11

SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

	Components		
8.1	VRLA Battery	Control Parameters:	There are no special control parameters for the handling, storage, installation of VRLA Batteries. VRLA Batteries emit hydrogen gas which is highly flammable and will form explosive mixtures in air from approximately 4% to 76%. Never install VLRA Batteries in a gas-tight enclosure during storage, transport
			or usage.
8.2	-	Exposure Control:	There are no special exposure controls for the handling, storage, installation or use of VRLA Batteries.
8.3		Personal Protection:	When there is no evidence of damage or visible traces of liquid (electrolyte) or solid deposits on the batteries they may be handled safely without extra personal protective equipment.
			Ensure electrical insulation equipment is used when installing batteries. (e.g. insulated mats and covers; insulated tools)
			Remove ALL metallic objects from the person when working with VRLA Batteries: e.g. Jewellery (rings, watches, bracelets, necklaces), pens, torches, etc.
			Where there are signs of damage or liquid (electrolyte) or solid deposits, rubber gloves and acid resistant clothing must be worn when handling the batteries and affected packaging to protect against the effects of any electrolyte that may be present. If it is suspected that free electrolyte is present, then safety glasses
	1 - 1		must be worn, and if large amounts are present, chemical goggles or face shield should be used.
		UL CAUTIONARY STATEMENT:	"Warning: Risk of fire, explosion, or burns. Do not disassemble; heat above 50°C; or incinerate".

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

	Components									
9.1	VRLA Battery	The main compo	nents are listed in S	SECTION 2 above.						
		The undamaged product is a manufactured article in an inert plastic (ABS) case, which								
	-		subjected to high temperatures or sources of ignition. Some battery types are made with Flame							
				specification. These batteries	carry the suffix 'FR' after the					
		battery type; e.g	. NP24-12IFR							
The in	formation below refers to	the physical and che	emical properties of t	he main VRLA Battery compon	ents and substances. This					
nform	ation is published for refe				I					
	Plate Grids and	Appearance		Safety-related data						
	Active materials	Form	Solid	Solidification point	327 °C					
		Colour	Grey or brown	Boiling point	1740 °C					
	1000	Odour	Odourless	Solubility in water	Very low (0.15mg/l)					
	Carried Control		1 1 1 1	Solubility in acid or	Yes, dependant on the					
				alkaline solutions	strength of solution.					
	The second second			Density (at 20°C)	11.35 g/cm ³					
				Vapour pressure (at 20°C)	N.A.					
	Battery Electrolyte:									
		Form	Liquid	Solidification point	-35 to -60 °C					
	A STATE OF THE PARTY OF THE PAR	Colour	Colourless	Boiling point	Approx 108 to 114 °C					
	//	Odour	Odourless	Solubility in water	Complete					
	A CONTRACTOR OF THE PARTY OF TH			Density (at 20°C)	Variable up to 1.350 g/cm ³					
	A .			Vapour pressure (at 20°C)	N.A.					
	Case Material:	Appearance		Safety-related data						
	2000	Form	Solid	Softening point	> 100 °C (DIN 53460)					
	1	Colour	Grey or black	Flash Point	>330 °C					
		Odour	Slight Odour	Solubility in water	Insoluble					
				Solubility in other solvents	Soluble in polar solvents,					
					aromatic solvents, chlorinated					
					hydrocarbons.					
				Density (at 20°C)	1.07-1.4 g/cm ³ (DIN 53479)					
	1			Vapour pressure	1mm Hg					
				, (at 973°C)	S					
	Separator Material:									
		Form	Fibrous material	Solidification point	N/A					
		Colour	White	Boiling point	N/A					
		Odour	Odourless	Solubility in water	Insoluble					
				Density (at 20°C)	N/A					
				Vapour pressure (at 20°C)	N/A					

If this document is printed, it is to be considered uncontrolled and for reference only.



In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	4
Issue Date:	Feb-2013
Page	7 of 11

SECTION 10: STABILITY AND REACTIVITY

	Components		
10.1	VRLA Battery	Stability:	Within the operational temperature range -20 to +50 °C the undamaged product is stable.
10.4	Plate Grids and Active materials:	Materials & Conditions to Avoid:	Powdered lead reacts violently with fused ammonium nitrate and sodium acetylide. Reacts violently when in contact with chlorine trifluoride.
10.3	Battery Electrolyte:	Possibility of Hazardous Reactions	 Dilution of the higher concentrated grades with water may liberate excessive heat. Highly reactive with metals and organic materials. On contact with metals, may generate hydrogen which forms explosive mixtures with air. Destroys organic materials such as cardboard, wood, textiles, etc. Vigorous reaction with sodium hydroxide and alkalis.
10.6		Hazardous Decomposition Product(s):	Sulphur oxides
10.1	Case Material:	Materials & Conditions to Avoid:	To avoid thermal decomposition, do not overheat. Starts to decompose at temperatures >275'C. Powerful oxidising agents.
10.6		Hazardous decomposition products:	Monomers, other degradation products, traces of hydrogen cyanide.
10.1	Separator Material:	Stability:	Stable material.
10.4		Materials & Conditions to Avoid:	Incompatible with Hydrofluoric acid and concentrated Sodium Hydroxide.
10.6		Hazardous decomposition products:	No hazardous polymerisation expected.

SECTION 11: TOXICOLOGICAL INFORMATION

This in	nformation is of relevance	only if the VRLA Bat <mark>tery h</mark> as suffere	ed damage and is broken.
	Components		
11	VRLA Battery		 This information does not apply to the undamaged VRLA Battery. It is of relevance if the battery is broken and the components are released to the environment. Exposure limits may vary according to national law and regulations.
11.1	Plate Grids: Metallic lead, lead alloys.	Toxicity	 Toxic by ingestion or inhalation Chronic poison Lead is a poison that affects virtually every system in the body Symptoms include fatigue, headaches, constipation, aching bones and muscles, gastrointestinal tract disturbances and reduced appetite Blood lead levels of 80 μg/dl and above have been associated with both acute and chronic effects of lead poisoning
	Active materials: Lead dioxide.	Toxicity	Toxic by ingestion or inhalation Chronic poison Chronic exposure to lead compounds may lead to a build-up of lead in the body, giving rise to a variety of health problems, including anaemia, kidney and liver damage, impaired eyesight, memory loss and CNS² damage
	Battery Electrolyte:	Dilute Sulphuric Acid	Corrosive, the more concentrated solutions can cause serious burns to the mouth, eyes and skin Harmful by ingestion and through skin contact
		Inhalation:	Mist is a severe irritant to the respiratory tract. Fluid build up on the lung (pulmonary oedema) may occur up to 48 hours after exposure and could prove fatal
		Ingestion:	Will immediately cause severe corrosion of and damage to the gastrointestinal tract

² CNS = Central Nervous System



In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	4
Issue Date:	Feb-2013
Page	8 of 11

	1000		
11.1	Battery Electrolyte:	Skin Contact:	Causes severe chemical burns
		Eye Contact:	Risk of serious damage to eyes. Causes severe burns. May cause prolonged or permanent damage or even total loss of sight. Mist will cause irritation
	Case Material:		According to information available the product is not harmful to health provided it is correctly handled and processed according to the given recommendations.
	Separator Material:		Based on animal implantation and epidemiologic studies glass microfibers are thought to have some limited carcinogenic potential and as such are designated as Group 2B materials (IARC, US). The material should be treated as a category 3 carcinogen (Europe). Limited evidence of carcinogenic effect.

SECTION 12: ECOLOGICAL INFORMATION

This information is of relevance only if the VRLA Battery has suffered damage and is broken.

	Components		· ·
12.1	VRLA Battery		This information does not apply to the undamaged VRLA Battery. It is of relevance if the battery is broken and the components are released to the environment.
12.2	Plate Grids and Active materials:	Metallic lead, lead alloys and Lead dioxide.	Chemical and physical treatment is required for the elimination of lead from water. Waste water containing lead must not be disposed of in an untreated condition.
		Risk Phrase R52/53	 The general classification for Lead compounds, R50/53 does not apply to Battery Lead Oxide Tests in 2001 and 2005 have concluded that Battery Lead Oxide is NOT toxic for the environment; neither R50 nor R50/53 nor R51/53. Risk Phrase R52/53 (Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment) applies to Battery Lead Oxide.
		Effect in the aquatic environment:	 Toxicity for fish: 96 h LC 50 > 100 mg/l Toxicity for daphnia: 48 h EC 50 > 100 mg/l Toxicity for alga: 72 h IC 50 > 10 mg/l
12.3	Battery Electrolyte:	Persistence and Degradation:	 In order to avoid damage to the sewerage system, the acid has to be neutralised by means of soda ash, sodium bicarbonate or sodium carbonate before disposal. Ecological damage is possible by change of pH. The electrolyte solution reacts with water and organic substances, causing damage to flora and fauna. The electrolyte may also contain components of Lead that can be toxic to aquatic environments. Remains indefinitely in the environment as sulphate.
12.4	Case Material:	Elimination information: Behaviour and environmental fate:	No data available: insoluble in water Due to the consistency of the product, and its insolubility in water, it will apparently not be bio-available.
12.5	Separator Material:		No data available: insoluble in water Not thought to pose any risk to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

	Components	Ji T. Ji		
13.1	VRLA Battery	Europe:	•	Spent (used) VRLA Batteries are subject to the requirements of the Batteries Directive 2006/66/EC on batteries and accumulators and waste batteries and accumulators. Spent (used) VRLA Batteries MUST be sent for recycling through an authorised contractor at the end-of-life. The WEEE Directive 2002/96/EC (Waste Electrical and Electronic Equipment) applies. Spent (used) VRLA Batteries MUST be removed from electrical and electronic equipment at the end-of-life.



In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	4
Issue Date:	Feb-2013
Page	9 of 11

		Worldwide:	•	VRLA batteries contain inorganic lead compounds and sulphuric acid which are damaging to the environment. Spent (used) batteries must be disposed of in an environmentally friendly manner in accordance with local national laws and regulations.
				VRLA batteries must not be dismantled, burnt or incinerated as a means of disposal. At the end of life VRLA batteries may still be electrically 'live' and contain a large amount of electrical energy. The same care and attention to safe handling should be taken as when handling new batteries. Particular care must be taken to avoid short-circuiting the battery terminals.
13.2	Plate Grids and Active materials:	Europe Worldwide		Metallic lead and active materials (Lead Oxides) must be recycled. Disposal must be carried out in accordance with the European Hazardous Waste Directive 2008/98/EC
13.3	Battery Electrolyte:	Europe	•	Disposal must be carried out in accordance with the European Hazardous Waste Directive 2008/98/EC on the protection of the environment through criminal law
		Worldwide General	•	Disposal should be in accordance with local, state or national legislation. Battery electrolyte is dilute Sulphuric Acid, the strength of which depends on the state of charge of the batteries. It must be neutralised before disposal. See SECTION 6 for clean-up and disposal advice.
13.3	Case Material:			Do not dispose of this product into sewers, any ocean or water course in order to prevent marine animals and birds from ingesting. Recycling is encouraged. Disposal by controlled incineration or source landfill in accordance with local national laws and regulations may be acceptable.
13.4	Separator Material:			Constitutes a special waste by virtue of hazardous substance content. Dispose of via approved landfill site. Disposal by controlled source landfill in accordance with local national laws and regulations may be acceptable.

14. TRANSPORT INFORMATION

	Components		
14.1	VRLA Battery	Sea Transport	Land Transport (ADR / RID) UN N°: UN2800 Classification ADR / RID: Class 8 Proper Shipping Name: BATTERIES, WET, NON-SPILLABLE electric storage Packing Group ADR: not assigned Tunnel code: E ADR / RID: New and spent (used) batteries are exempt from all ADR / RID (special provision 598) Sea transport (IMDG Code) UN N°: UN2800 Classification: Class 8 Proper Shipping Name: BATTERIES, WET, NON-SPILLABLE electric storage Packing Group: III EmS: F-A, S-B Non-spillable batteries meet the requirements of Special Provision 238; they are therefore exempt from all IMDG codes and are not
		Air Transport	regulated for sea transport. Air Transport (IATA-DGR) UN N°: 2800 Classification: Class 8 Proper Shipping Name: BATTERIES, WET, NON-SPILLABLE electric storage Packing Group: III Special Provision A48: Packaging test are not considered necessary Special Provision A67: Yuasa's VRLA batteries meet the requirements of Packing Instruction 872. The battery has been prepared for transport so as to prevent: A short-circuit of the battery's terminals by packaging in a strong and sturdy carton box; AND/OR The battery has been fitted with an insulating cover (made from ABS) which prevents contact with the terminals. C) Unintentional activation is thus prevented The words "NOT RESTRICTED" and the Special Provision (SP)





In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	4
Issue Date:	Feb-2013
Page	10 of 11

		number must be indicated on all shipping documents Special Provision: A164: The battery has been prepared for transport so as to prevent: a) Short-circuit of the battery's terminals by packaging in a strong and sturdy carton box; AND/OR b) The battery has been fitted with a cover (made from ABS) which prevents contact with the terminals c) Unintentional activation is thus prevented
	All methods of transport	DO NOT PLACE VRLA BATTERIES INSIDE SEALED OR GASTIGHT ENCLOSURES. VRLA Batteries emit hydrogen gas which is highly flammable and will form explosive mixtures in air from approximately 4% to 76%. This can be ignited by a spark at any voltage, naked flames or other sources of ignition.

SECTION 15: REGULATORY INFORMATION

	Components		
15.1	5.1 VRLA Battery Required Markings:		
			Crossed-out wheeled bin indicating "SEPARATE COLLECTION" for all batteries and accumulators. Not to be disposed of with general domestic, commercial or industrial waste. Ref: The Batteries Directive 2006/66/EC
		Pb	The Pb symbol indicates the heavy metal content of the battery and enables the lead-acid battery to be sorted for recycling. Ref: The Batteries Directive 2006/66/EC.
			The International Recycling Symbol, required by law in many countries world-wide to facilitate the identification of secondary batteries and accumulators for recycling.
	100		Ref: IEC 61429 : 1995, Marking of secondary cells and batteries with the International Recycling Symbol ISO 7000-1135.
		EC Directives	<u>Directive 2006/66/EC</u> , on batteries and accumulators and waste batteries and accumulators Paragraph (Recital) 29 states:
			"Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronic equipment does
			not apply to batteries and accumulators used in electrical and electronic equipment."

SECTION 16: OTHER INFORMATION

	Components	-	A COMPANY	
16 (a)	Revision Information	Version 4: February 2013 There has been a major revision of all sections of the Safety Data Sheet to bring it into line with current REACH Regulations.		
16 (b)	Abbreviations	Pb – The chemical symbol for lead VRLA – Valve Regulated Lead-Acid battery		
16 (c)	Key literature references and sources of data	SDS documents from suppliers fo		for components and raw materials
16 (d)	CLP Regulations	Not Applicable		
16 (e)	Risk Phrases	R21	Harmful in cor	ntact with skin
		R22	Harmful if swa	allowed
		R23	Toxic by inhal	ation
		R24	Toxic in conta	ct with skin
		R25	Toxic if swallo	wed
		R35	Causes sever	e burns
		R36	Irritating to ey	es
		R37	Irritating to res	spiratory system
		R38	Irritating to sk	n
		R49	May cause ca	ncer by inhalation

If this document is printed, it is to be considered uncontrolled and for reference only.



In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	4
Issue Date:	Feb-2013
Page	11 of 11

		T	
	R52		Harmful to aquatic organisms
		R53	May cause long-term adverse effects in the aquatic environment
16 (f)	Training Advice	Only trained, competent personnel, who have received special instructions for the hazards and risks, should be allowed to handle VRLA Batteries. See Section 7.1 for general advice	
16 (g)	Further Information	observed:	afe use of VRLA Industrial Batteries supplied by YUASA, the following precautions must be circuit battery terminals, since sparks and arcs produced can injure personnel and are a fire in hazard.
	0	provided to as Do not charge	st always be charged on a voltage-regulated charging system with adequate ventilation void the build-up of ignitable gases and to promote good heat dissipation. EVLRA Batteries above + 50 °C, discharge or store above + 60 °C. The conditions of charging equipment malfunction and/or battery failure, high voltage and high
temperature conditions may occur causing the evolution of Hydrogen Sulph If detected by its odour of rotten eggs (at extremely low concentrations), sw			conditions may occur causing the evolution of Hydrogen Sulphide (H ₂ S) gas, which is toxic. It is odour of rotten eggs (at extremely low concentrations), switch off the charging vacuate all personnel from the area and ventilate well. Seek advice before attempting to re-

